



Brett Landscaping Limited

Environmental & Sustainability Data Collation Report 2023 (Incorporating GHG Reporting to ISO 14064-1)



Introduction

Brett Landscaping is committed to producing the most sustainable products available within each specific sector of its business and operates to BS EN ISO 9001, BS EN ISO 14001, BS EN ISO 45001 and BRE BES 6001 standards covering quality, environmental, health & safety and Environmental & Sustainability respectively.

This report also includes the mandatory reporting requirements stipulated by ISO 14064-1 "Specification with guidance at the organisation level for the quantification and reporting of greenhouse gas emissions and removals".

The organisation also works closely with its supply chain partners to actively develop and introduce suitable management systems, certified standards, and directives to enhance the built environment. Brett Landscaping is committed to continually improve its effectiveness in these areas and will continue to liaise with stakeholders and set itself meaningful and measurable objectives and targets to achieve this in line with BRE BES 6001 and BS 8902.

The natural environment is the foundation of our business, and Brett Landscaping are committed to protecting it for future generations. We see our responsibility as a balance between supplying products to meet society's needs while respecting and conserving the land.

We will continue to demonstrate our commitment to this through an ethos of supply chain management and product stewardship, together with a commitment to engage with stakeholders that may be affected by the impacts of our products.

The following data has been collated against the Sustainable Construction Forum (SCF) Key Performance Indicators (KPI's) and targets, and is compliant with the requirements of the Building Research Establishment (BRE) Environmental and Sustainability Standard BES 6001 *'Framework Standard for the Responsible Sourcing of Construction Products'*.



Managing Director*
Brett Landscaping

*And 'Responsible Person' as identified under GHG standard ISO 14064-1

Page 1

Sustainability Principles	Concrete Industry Performance Indicators & Brett Specific KPI's	Unit of expression	Required link to BES 6001	British Precast 2020 Targets (with 2012 Baseline)	Brett Landscaping Base-Line Data 2022	Brett Landscaping Actual Data 2023	Target Set	Quantitative	Qualitative	Brett Landscaping Targets to 2025	Target Achieved? Yes / No/ N.A. / Ongoing
Environmental Management Systems	1.1 % of production sites covered by a 'UKAS' certified EMS (such as ISO14001, EMAS and for SMEs, BS8555)	% of production sites (and absolute number compared to total)	Management systems	Increasing the tonnage, as well as production sites, covered by an EMS (e.g. ISO 14001) to 95%	100 %	100 %	Y	Y	N/A	Maintain % of production sites covered by a UKAS certified EMS at 100%	Yes
Waste minimisation	1.2a kg of waste to landfill as a proportion of production output (supplemented by 3. 1a-d)	kg per tonne	Waste Management	Reducing overall factory waste by 10% & Reducing factory waste to landfill to < 0.5 kg/ tonne	0.087 kg/tonne	0.091 kg/tonne	Y	Y	N/A	Maintain kg/tonne of waste at 0.100 kg / tonne or less	Yes
Waste minimisation	1.2b Net waste ratio. Ratio of 'total waste product usage' to 'waste to landfill'	Ratio	Waste Management	-	531:7	519:8	Y	Y	N/A	-	N.A.
Emissions (excluding CO _{2e})	1.3 Number of convictions for air and water emissions per annum	Number per annum	Local communities	Reducing the convictions for air and water emissions to zero	0	0	Y	Y	N/A	Maintain zero convictions for air and water emissions	Yes
Stakeholder Engagement	1.4 Stakeholder engagement. <i>No Indicator – performance to be covered qualitatively</i>	n/a	Social Requirements	-	-	-	N/A	N/A	N/A	No Target	N.A.
Quality & Performance	1.5 % of production sites covered by a 'UKAS' certified 9001 quality management system	% of production sites (and absolute number compared to total)	Management systems	Increasing the tonnage, as well as production sites, covered by a quality system (e.g. ISO 9001) to 95%.	100 %	100 %	Y	Y	N/A	Maintain % of production sites certified to BS EN ISO 9001 at 100%	Yes
Responsible Sourcing	1.6 % of reported production certified to BES 6001	% of reported production tonnes Certified to BES 6001	Management systems	Increasing the tonnage, as well as production sites, covered by a Responsible Sourcing standard (e.g. BES 6001) to 95%	100 % (Excellent)	100 % (Excellent)	Y	Y	N/A	Maintain % of production tonnes certified to BES 6001 at Very Good Status or above at 100%	Yes

Sustainability Principles	Concrete Industry Performance Indicators & Brett Specific KPI's	Unit of expression	Required link to BES 6001	British Precast 2020 Targets (with 2012 Baseline)	Brett Landscaping Base-Line Data 2022	Brett Landscaping Annual Data 2023	Target Set	Quantitative	Qualitative	Brett Landscaping Targets to 2025	Target Achieved? Yes / No/ N.A./ Ongoing
Energy & CO ₂ e Emissions (Production)	2.1 Energy used in production as a proportion of production output	kWh per tonne	Energy & Greenhouse gas Emissions	Reducing overall kWh/tonne of energy used in production by 10% & Reducing CO ₂ e emissions for production by 20% Note: Wider UK Government target was set in April 2021 of a 78% reduction by 2035 based on 1990 levels	27.78 kWh/tonne	25.37 kWh/tonne	Y	Y	N/A	Reduce kWh/tonne emissions from production by 1.0% from FY2022. 2023 = 27.50 kWh/tonne	Yes
	2.1a Energy intensity of production output	tonnes : kWh ratio	Energy & Greenhouse gas Emissions		1:27.83	1:25.37	Y	Y	N/A	Reduce energy intensity ratio from production by 1.0% from FY2022. 2023 = 1:26.55	Yes
	2.1b Energy intensity of production output *	£turnover : kWh ratio	Energy & Greenhouse gas Emissions		Left Intentionally Blank – commercially sensitive data	Left Intentionally Blank – commercially sensitive data	Y	Y	N/A	Reduce energy intensity ratio from production by 1.0% from FY2021.	Yes
	2.2 CO ₂ e emissions as a proportion of production output	kgCO ₂ e per tonne	Energy & Greenhouse gas Emissions		5.90 kgCO ₂ e/tonne	5.50 kgCO ₂ e/tonne	Y	Y	N/A	Reduce kgCO ₂ e/tonne emissions from production by 1.0% from FY2022. 2023 = 5.84 kgCO ₂ e/tonne	Yes
	2.2a GHG intensity of production output	Tonnes : kgCO ₂ e Ratio	Energy & Greenhouse gas Emissions		1:5.91	1:5.50	Y	Y	N/A	Reduce GHG intensity ratio from production by 1.0% from FY2022. 2023 = 1:5.81	Yes
	2.2b GHG intensity of production output *	£turnover : kgCO ₂ e Ratio	Energy & Greenhouse gas Emissions		Left Intentionally Blank – commercially sensitive data	Left Intentionally Blank – commercially sensitive data	Y	Y	N/A	Reduce GHG intensity ratio from production by 1.0% from FY2021.	Yes

Sustainability Principles	Concrete Industry Performance Indicators & Brett Specific KPI's	Unit of expression	Required link to BES 6001	British Precast 2020 Targets (with 2012 Baseline)	Brett Landscaping Base-Line Data 2022	Brett Landscaping Annual Data 2023	Target Set	Quantitative	Qualitative	Brett Landscaping Targets to 2025	Target Achieved? Yes / No/ N.A.
CO ₂ e Emissions (Transport)	2.3a Average delivery distance travelled per tonne (from factory gate to customer)	km per tonne	Transport Impacts	No BPCF Target Note: Note: Wider UK Government target was set in April 2021 of a 78% reduction by 2035 based on 1990 levels	9.62 km / tonne (0.40 km/tonne as part of a 23.92 tonne load)	10.79 km / tonne (0.49 km/tonne as part of a 22.17 tonne load)	Linked to 2.3d	N/A	N/A	Linked to 2.3d	N.A
	2.3b Tonnes moved split by three modes: road, rail, inland barge	Tonnes moved by each mode	Transport Impacts		515,492 tonnes (100% Road)	491,264 tonnes (100% Road)	Linked to 2.3d	N/A	N/A	Linked to 2.3d	N.A.
	2.3c Average load for each mode	Tonnes per load	Transport Impacts		23.92 tonnes	22.17 tonnes	Linked to 2.3d	N/A	N/A	Linked to 2.3d	N.A.
	2.3d CO ₂ e emissions as a proportion of production output	kgCO ₂ e per tonne	Transport Impacts		8.44 kgCO ₂ e /tonne (0.35 kgCO ₂ e/tonne as part of a 23.92 tonne load)	9.41 kgCO ₂ e /tonne (0.40 kgCO ₂ e/tonne as part of a 22.17 tonne load)	Y	Y	N/A	Maintain at 2021 Baseline	No
	2.3e % Road transport certified to FORS Gold	%	Transport Impacts		100%	100%	Y	Y	N/A	Target 100%	Yes
Materials Efficiency	3.1b % of additional cementitious materials (GGBS, fly ash etc.) as a proportion of total cementitious materials used	%	Resource Use & Waste Management	Increasing the proportion of alternative cement additions (as a % of total cement) to 25% & Increasing the proportion of recycled/ secondary aggregates (as a % of total aggregates) to 25%	27.89%	25.8%	Y	Y	N/A	Maintain proportion of cement additions at or above 25%	Yes
	3.1c Recycled/secondary aggregates as a proportion of total aggregates used	%	Resource Use & Waste Management		0.26%	0.32%	Y	N/A	Y	Examine/ assess the optimum recycled/secondary aggregate use as a proportion of total aggregate use based upon independent LCA reports	Yes

Sustainability Principles	Concrete Industry Performance Indicators & Brett Specific KPI's	Unit of expression	Required link to BES 6001	British Precast 2020 Targets (with 2012 Baseline)	Brett Landscaping Base-Line Data 2022	Brett Landscaping Annual Data 2023	Target Set	Quantitative	Qualitative	Brett Landscaping Targets to 2025	Target Achieved? Yes / No/ N.A.
Water	3.2a Mains water use as a proportion of production output	Litres per tonne	Water Extraction	Reduce mains water consumption by 20%	53.36 Litres/tonne	51.42 Litres/tonne	Y	Y	N/A	Maintain optimum level of overall water usage whilst maintaining Mains water usage at or below 60 litres /tonne and optimising use of recycled / recovered water subject to product technical specifications	Yes
	3.2b Controlled groundwater use as a proportion of production output	Litres per tonne	Water Extraction		0.60 Litres/tonne	0.60 Litres/tonne	Y	Y	N/A	Maintain optimum level of overall water usage whilst maintaining Mains water usage at or below 60 litres /tonne and optimising use of recycled / recovered water subject to product technical specifications	Yes
	3.2c Mains water intensity of production output	Production tonnes : Litres ratio	Water Extraction		1:0.053	1:0.042	Y	Y	N/A	Maintain 2022 ratio in-line with KPI 3.2a in 2023	Yes
	3.2d Controlled groundwater Intensity of production output	Production tonnes : Litres ratio	Water Extraction		1:0.00043	1:0.00060	Y	Y	N/A	Maintain 2022 ratio in-line with KPI 3.2a in 2023	Yes
Site Stewardship	3.3 % of relevant production sites that have site specific action plans	% of relevant production sites (and absolute number compared to total)	Resource Use	-	100%	100 %	N	N/A	N/A	Maintain at 100%	Yes

Sustainability Principles	Concrete Industry Performance Indicators & Brett Specific KPI's	Unit of expression	Required link to BES 6001	British Precast 2020 Targets (with 2012 Baseline)	Brett Landscaping Base-Line Data 2022	Brett Landscaping Annual Data 2023	Target Set	Quantitative	Qualitative	Brett Landscaping Targets to 2025	Target Achieved? Yes / No/ N.A. / Ongoing
Health & Safety	<p>4.1a Reportable Injuries per 100,000 direct employees</p> <p>4.1 Lost time injuries for 'direct employees' per 1 million hours worked</p>	<p>Number of reportable injuries per 100,000 direct employees And absolute number per annum</p> <p>Number of LTI's per 1 million hours worked for direct employees and absolute number per annum</p>	Management systems	<p>Reduction in accident frequency of 65% between 2014 and 2018</p> <p>MPA target = 50% reduction in LTIFR between 2020 and 2025 to 1.5</p>	<p>1 (394 / 100,000 employees)</p> <p>1 (actual) – 1.56 LTI/ 1 million hours</p>	<p>2 (767 / 100,000 employees)</p> <p>2 (actual) – 3.16 LTI/ 1 million hours</p>	Y	Y	N/A	Overarching Zero harm expectation, and maintain LTIFR 'direct employees' figures at no more than 2 LTI per annum (3.00 based on 275 employees)	Yes
Employment & Skills	<p>4.2a % of employees covered by UKAS certified ISO9001/ISO 14001/ISO45001 systems (Training & competence sections)</p>	% of employees covered by UKAS ISO 9001/14001 or OHSAS 18001 systems	Employment & Skills	<p>Increasing the % of employees covered by a certified management system (e.g. ISO 9001/ISO 14001/ISO45001) to 100%</p> <p>Increasing the % of employees covered by MPA Safer by competence training and qualifications to 100%</p>	100%	100%	Y	Y	N/A	Maintain % of relevant employees covered by UKAS certified ISO9001/ ISO14001 & OISO18001 at 100%	Yes
	<p>4.2b % of employees covered by environmental and H&S management systems following the principles of BS EN 14001 or BS EN ISO 45001</p>	% of employees covered by BS EN ISO 14001 or BS EN ISO 45001 systems	Employment & Skills	<p>Increasing the % of employees covered by MPA Safer by competence training and qualifications to 100%</p>	100%	100%	Y	Y	N/A	Maintain % of Relevant employees covered by BS EN ISO 14001 & OHSAS 18001 management systems at 100%	Yes
	<p>4.2c Safety, health, Environmental and Responsible Sourcing related training undertaken by Brett Landscaping Employees</p>	Hours of training attended	Employment & Skills	No target set at Baseline – measure introduced in 2017	<p>7,802 hours</p> <p>30.71 hours per employee</p>	<p>5,322 hours</p> <p>20.39 hours per employee</p>	-	-	-	-	N/A

Sustainability Principles	Concrete Industry Performance Indicators & Brett Specific KPI's	Unit of expression	Required link to BES 6001	British Precast 2020 Targets (with 2012 Baseline)	Brett Landscaping Base-Line Data 2022	Brett Landscaping Annual Data 2023	Target Set	Quantitative	Qualitative	Brett Landscaping Targets to 2025	Target Achieved? Yes / No / N.A / Ongoing.
Local Community	4.3 % of relevant production sites with community liaison activities (supplemented by 1.3 & 3.3)	% of relevant production sites (and absolute number compared to total)	Local Communities	Maintaining the % of relevant production sites that have community liaison activities at 100%	100%	100 %	Y	Y	N/A	Maintain % of relevant production sites that have community liaison activities at 100%	Yes
	4.3a Number of community complaints (supplemented by 1.3)	Complaints per production tonne	Local Communities		0 (Actual) Effective 0 / tonne	0 (Actual) Effective 0 / tonne	Y	Y	N/A	Overarching zero expectation with year on year reduction of 5% from 2017	Yes
	4.3b Number of community events held or sponsored	Number of events held per year	Local Communities		28	32	Y	Y	N/A	X 'Brett Group' events each year	
	4.3c % use of constituent materials sources within 50km of production facilities (i.e. support for local business)	%	Local Communities		67.41%	64.08%	Y	Y	N/A	Maintain minimum 55% use of constituent materials sources with 50km of production facilities subject to product technical specifications and supply availability	Yes

Notes:

The Brett Group figures for 'events' are shown above. This is because certain operations such as 'Precast Concrete Production' is less appealing in terms of community visits, than quarry visits and it would be unfair to suggest that a lack of visits to these facilities represents a lesser level of community liaison. It should also be noted that community liaison activities are relevant and appropriate to our immediate neighbours and the areas in which we operate.

4.3c data represents the % usage of any given source within the final product. This is to ensure that the % shown is representative of £turnover & tonnage used rather than just geographic position. i.e. A single very local constituent with a low value, purchased one per year should not adversely affect (falsely improve) the published figures, as in reality such a purchase could represent 0.001% of the constituents purchased, with large value/volume items being purchased from further afield.

Additional constituent material transportation analysis:

Sustainability Principles	Constituent material transportation analysis	Unit of expression	Required link to Responsible Sourcing BES 6001	Related Gov't Targets (No BPCF Targets)	Brett Landscaping Base-Line Data 2022	Brett Landscaping Annual Data 2023	Brett Landscaping Targets to 2025	Target Achieved? Yes / No/ N.A. / Ongoing
(Constituent Transport Impacts)	Delivery distance travelled per tonne of traceable constituent material relative to proportionate usage (from source to Brett)	km travelled per constituent tonne supplied	Transport Impacts	April 2021 UK Government target is 78% reduction by 2035 based on 1990 levels.	2.26 km per constituent tonne (return journey)	2.48 km per constituent tonne (return journey)	Maintain at or below 2.50 km / per constituent tonne performance or less (where possible)	Yes
	Method of transportation split by modes	% moved by each mode	Transport Impacts		41.51 % (Conveyor) 43.30 % (Road) 8.96 % (Sea) 6.23 % (Rail)	39.85 % (Conveyor) 44.85 % (Road) 8.27 % (Sea) 7.03 % (Rail)	Maintain 2021 performance or enhance (where possible)	Ongoing
	Average load for each mode	Tonnes per load by mode	Transport Impacts		N/A (Conveyor) 30 tonnes (Road) 4000 tonnes (Sea) 1040 Tonnes (Rail) 1000 tonnes (barge)	N/A (Conveyor) 30 tonnes (Road) 4000 tonnes (Sea) 1040 Tonnes (Rail) 1000 Tonnes (Barge)	Maintain 2021 performance or enhance (where possible)	Ongoing

Transport related aspects and impacts of our business and terminology used:

Transport related environmental aspects and impacts have been assessed via the organisations UKAS accredited BS EN ISO 14001 certified management system, with the main contributory factors being CO₂e emissions, use of natural resources (i.e. fuel sources), transport distances and neighbourhood noise/disruption/congestion. The above is true of both 'customer transport' (KPI's 2.3a to 2.3e) and those given above. For 'Brett Transport' from gate to client, for road transportation, the current DEFRA conversion factor has been used (DEFRA Freight Goods Table – All HGV – Average Laden - as an overall average figure combining various truck modes & sizes – for each relevant year).

As part of our policy to reduce our environment aspects and impacts associated with transport, these have been assessed via the organisations UKAS accredited BS EN ISO 14001 certified management system, examining and detailing issues pertaining to our impacts upon air, water, land, natural resources, flora, fauna and human interaction in terms of past, present and planned events under our direct control, those influenced by supplier and those influenced by customer demand.

In accordance with our transport policy, in addition to customer transport, we also monitor the constituent transport mileage on an annual basis and actively seek to source constituents from local suppliers to reduce the environmental impact of our operations. However, as we do not directly control the operations of our suppliers, we are unable to monitor their direct CO₂e emissions, but can monitor our own impact on this in terms of transport distances and by efficient ordering of products in 'full loads' wherever possible.

The Methodology for calculation of all transport related KPI's is taken directly from ISO 14064-1, with supporting information from the Concrete Industry SCF guidance documents in combination with DEFRA conversion factors.

All sites transitioned over to White Diesel in 2022.

GHG ISO 14064-1 mandatory reporting requirements:

Detail of 'Boundaries'

Production of 'Precast Concrete Products'.

UOM kgCO_{2e}/tonne

Direct and indirect emissions by GHG source	2017	2018	2019	2020	2021	2022	2023
Electricity (Excluding Solar)	5.318	4.383	3.726	3.482	2.931	2.654	2.731
Solar Electricity	0.065	0.055	0.042	0.055	0.033	0.036	0.032
Gas oil – e.g. for heating (i.e. known as White Diesel or Gas Oil)	1.027	1.131	0.954	0.935	1.311	1.252	1.238
Recovered fuel oil/other heating oil (specify)	0	0	0	0	0	0	0
Gas Oil for mobile plant	0.986	0.87	0.908	0.965	0.884	0.857	0.858
Mains natural gas	0	0	0	0	0	0	0
Bottled gas	0.061	0.031	0.021	0.023	0.032	0.039	0.036
Coal	0	0	0	0	0	0	0
Biofuel	0	0	0	0	0	0	0
Other renewable energy source	0	0	0	0	0	0	0
Other site energy source (Bulk Gas)	0.653	0.721	0.565	0.843	0.902	1.069	0.672

Page 9

A description of how the CO₂e from biomass fuel is treated

Not Applicable.

A description of how the CO₂e relating to Solar Generated Electricity is treated

2 x 49.9. kW Solar farms at Cliffe are registered for Feed-In Tariff Payments and as such their generation is counted within UK Government Electricity Generation calculations. Therefore, Solar Electricity generation is subject to same CO₂e conversion factor as National Grid Supplied Electricity

GHG removals

Not Applicable.

Exclusion of GHG sources and justification statement

No exclusions made within the boundaries established.

Historical base year data

The base line year is given as **2021** unless otherwise stated, as published data above.

Explanation of changes from the base year, or recalculation of data

Steady progress towards established targets has been made.

Reference to quantification methodology and factors and any changes made (this statement includes the methodology for production, client transport and constituent transport)

Methodology taken directly from ISO 14064-1, with supporting information from the Concrete Industry SCF guidance documents in combination with Defra conversion factors. Please also see overall summary notes (below).

Uncertainty statement

The organisation has undertaken an uncertainty exercise in accordance with EPA regulations. However, the data collation is verified before use, and the factors used to determine GHG are supplied by Defra, with the uncertainty values being extremely low. The level of uncertainty of the resulting estimates depends significantly on the source category and the pollutant. However, as our sources of CO₂e emissions arise from the combustion of fuel, this uncertainty is vastly reduced, as emissions can be estimated with a high degree of certainty regardless of how the fuel is used as these emissions depend almost exclusively on the carbon content of the fuel, which is generally known with a high degree of precision. The fuel used in our case is almost exclusively gas/electric, with other fuel sources as defined within the relevant SCF PI Guidance Document appendices. Hence, no organisation has determined that no further safety/variance values or factors are required in terms of onward reporting.





Verification statement, and type of verification and level of assurance achieved

AA1000 moderate level of assurance. This level of assurance is equivalent of a limited assurance under ISO 14064-3 in relation to BES 6001, section 3.1 only.

Overall summary notes:

Brett Landscaping has adopted the objectives and targets detailed above. Where organisation data indicates that the industry (trade association) target has been met, whilst it is desirable to surpass the aforementioned target, the requirements in terms of BES 6001 have been achieved. Revised 'organisational' targets will be discussed within the management review meetings to determine the scope for further improvement. KPI 2.3d relates to the transportation of the product 'Precast concrete' from the production facility to site, and the associated return journey, linked to KPI's 2.3a-c & e. Transport related environmental aspects and impacts have been assessed via the organisations UKAS accredited BS EN ISO 14001 certified management system, with the main contributory factors being CO₂e emissions and transport distances. The term 'UKAS' refers to a certificate issued by a UKAS accredited certification body.

ENERGY / CO₂ / WATER / WASTE TO LANDFILL YEAR ON YEAR PROGRESS



GREENHOUSE GAS EMISSIONS - CO_{2e} YEAR ON YEAR PROGRESS 2012 - 2023

Brett Landscaping BES6001 - Energy usage CO_{2e} emissions - kg/tonne

