



## **Brett Landscaping Limited**

### **Environmental & Sustainability Data Collation Report 2021 (Incorporating GHG Reporting to ISO 14064-1)**



## Introduction

Brett Landscaping is committed to producing the most sustainable products available within each specific sector of its business and operates to BS EN ISO 9001, BS EN ISO 14001, BS EN ISO 45001 and BRE BES 6001 standards covering quality, environmental, health & safety and Environmental & Sustainability respectively.

This report also includes the mandatory reporting requirements stipulated by ISO 14064-1 "Specification with guidance at the organisation level for the quantification and reporting of greenhouse gas emissions and removals".

The organisation also works closely with its supply chain partners to actively develop and introduce suitable management systems, certified standards, and directives to enhance the built environment. Brett Landscaping is committed to continually improve its effectiveness in these areas and will continue to liaise with stakeholders and set itself meaningful and measurable objectives and targets to achieve this in line with BRE BES 6001 and BS 8902.

The natural environment is the foundation of our business, and Brett Landscaping are committed to protecting it for future generations. We see our responsibility as a balance between supplying products to meet society's needs while respecting and conserving the land.

We will continue to demonstrate our commitment to this through an ethos of supply chain management and product stewardship, together with a commitment to engage with stakeholders that may be affected by the impacts of our products.

The following data has been collated against the Sustainable Construction Forum (SCF) Key Performance Indicators (KPI's) and targets, and is compliant with the requirements of the Building Research Establishment (BRE) Environmental and Sustainability Standard BES 6001 *'Framework Standard for the Responsible Sourcing of Construction Products'*.



**Managing Director\***  
**Brett Landscaping**

\*And 'Responsible Person' as identified under GHG standard ISO 14064-1

Sustainability Principles	Concrete Industry Performance Indicators & Brett Specific KPI's	Unit of expression	Required link to BES 6001	British Precast 2020 Targets (with 2012 Baseline)	Brett Landscaping Base-Line Data 2020	Brett Landscaping Actual Data 2021	Target Set	Quantitative	Qualitative	Brett Landscaping Targets to 2021	Target Achieved? Yes / No/ N.A. / Ongoing
Environmental Management Systems	1.1 % of production sites covered by a 'UKAS' certified EMS (such as ISO14001, EMAS and for SMEs, BS8555)	% of production sites (and absolute number compared to total)	Management systems (sections 3.3.2 & 3.4.3 of BES 6001)	Increasing the tonnage, as well as production sites, covered by an EMS (e.g. ISO 14001) to 95%	100 %	100 %	Y	Y	N/A	Maintain % of production sites covered by a UKAS certified EMS at 100%	Yes
Waste minimisation	1.2a kg of waste to landfill as a proportion of production output (supplemented by 3. 1a-d)	kg per tonne	Waste Management (section 3.4.4 of BES 6001)	Reducing overall factory waste by 10% & Reducing factory waste to landfill to < 0.5 kg/ tonne	0.085 kg/tonne	0.089 kg/tonne	Y	Y	N/A	Maintain kg/tonne of waste at 0.100 kg / tonne or less	Yes
Waste minimisation	1.2b Net waste ratio. Ratio of 'total waste product usage' to 'waste to landfill'	Ratio	Waste Management (section 3.4.4 of BES 6001)	-	448:1	494:1	Y	Y	N/A	-	N.A.
Emissions (excluding CO <sub>2</sub> )	1.3 Number of convictions for air and water emissions per annum	Number per annum	Local communities (section 3.4.10 of BES 6001)	Reducing the convictions for air and water emissions to zero	0	0	Y	Y	N/A	Maintain zero convictions for air and water emissions	Yes
Stakeholder Engagement	1.4 Stakeholder engagement. No Indicator – performance to be covered qualitatively	n/a	Social Requirements (section 3.4 of BES 6001)	-	-	-	N/A	N/A	N/A	No Target	N.A.
Quality & Performance	1.5 % of production sites covered by a 'UKAS' certified 9001 quality management system	% of production sites (and absolute number compared to total)	Management systems (section 3.2.3 of BES 6001)	Increasing the tonnage, as well as production sites, covered by a quality system (e.g. ISO 9001) to 95%.	100 %	100 %	Y	Y	N/A	Maintain % of production sites certified to BS EN ISO 9001 at 100%	Yes
Responsible Sourcing	1.6 % of reported production certified to BES 6001	% of reported production tonnes Certified to BES 6001	Management systems (section 3.2.4 of BES 6001)	Increasing the tonnage, as well as production sites, covered by a Responsible Sourcing standard (e.g. BES 6001) to 95%	100 % (Excellent)	100 % (Excellent)	Y	Y	N/A	Maintain % of production tonnes certified to BES 6001 at Very Good Status or above at 100%	Yes

Sustainability Principles	Concrete Industry Performance Indicators & Brett Specific KPI's	Unit of expression	Required link to BES 6001	British Precast 2020 Targets (with 2012 Baseline)	Brett Landscaping Base-Line Data 2020	Brett Landscaping Annual Data 2021	Target Set	Quantitative	Qualitative	Brett Landscaping Targets to 2021	Target Achieved? Yes / No/ N.A./ Ongoing
Energy & CO <sub>2</sub> Emissions (Production)	2.1 Energy used in production as a proportion of production output	kWh per tonne	Energy & Greenhouse gas Emissions (sections 3.4.1 & 3.4.2 of BES 6001)	Reducing overall kWh/tonne of energy used in production by 10% & Reducing CO <sub>2</sub> emissions for production by 20%  Note: Wider UK Government target was set in April 2021 of a 78% reduction by 2035 based on 1990 levels	25.62 kWh/tonne	26.86 kWh/tonne	Y	Y	N/A	Reduce kWh/tonne emissions from production by 1.5% from FY2019 except for Bulk Gas from H2 2020 = 24.18 kWh/t	No NOTE A
	2.1a Energy intensity of production output	tonnes : kWh ratio	Energy & Greenhouse gas Emissions (sections 3.4.1 & 3.4.2 of BES 6001)		1:25.62	1:26.86	Y	Y	N/A	Reduce energy intensity ratio from production by 1.5% from FY2019 except for Bulk Gas from H2 2020	No NOTE A
	2.1b Energy intensity of production output	£turnover : kWh ratio	Energy & Greenhouse gas Emissions (sections 3.4.1 & 3.4.2 of BES 6001)		Left Intentionally Blank – commercially sensitive data	Left Intentionally Blank – commercially sensitive data	Y	Y	N/A	Reduce energy intensity ratio from production by 1.5% from FY2019 except for Bulk Gas from H2 2020	No NOTE A
	2.2 CO <sub>2</sub> emissions as a proportion of production output	kgCO <sub>2</sub> per tonne	Energy & Greenhouse gas Emissions (sections 3.4.1 & 3.4.2 of BES 6001)		6.30 kgCO <sub>2</sub> /tonne	6.09 kgCO <sub>2</sub> /tonne	Y	Y	N/A	Reduce kgCO <sub>2</sub> /tonne emissions from production by 1.5% from FY2019 except for Bulk Gas from H2 2020 = 5.96 kgCO <sub>2</sub> /tonne	No NOTE B
	2.2a GHG intensity of production output	Tonnes : kgCO <sub>2</sub> Ratio	Energy & Greenhouse gas Emissions (sections 3.4.1 & 3.4.2 of BES 6001)		1:6.30	1:6.09	Y	Y	N/A	Reduce GHG intensity ratio from production by 1.5% from FY2019 except for Bulk Gas from H2 2020	No NOTE B
	2.2b GHG intensity of production output	£turnover : kgCO <sub>2</sub> Ratio	Energy & Greenhouse gas Emissions (sections 3.4.1 & 3.4.2 of BES 6001)		Left Intentionally Blank – commercially sensitive data	Left Intentionally Blank – commercially sensitive data	Y	Y	N/A	Reduce GHG intensity ratio from production by 1.5% from FY2019 except for Bulk Gas from H2 2020	No NOTE B

Sustainability Principles	Concrete Industry Performance Indicators & Brett Specific KPI's	Unit of expression	Required link to BES 6001	British Precast 2020 Targets (with 2012 Baseline)	Brett Landscaping Base-Line Data 2020	Brett Landscaping Annual Data 2021	Target Set	Quantitative	Qualitative	Brett Landscaping Targets to 2021	Target Achieved? Yes / No/ N.A.
CO <sub>2</sub> Emissions (Transport)	2.3a Average delivery distance travelled per tonne (from factory gate to customer)	km per tonne	Transport Impacts (section 3.4.8 of BES 6001)	No BPCF Target  Note: Note: Wider UK Government target was set in April 2021 of a 78% reduction by 2035 based on 1990 levels	8.78 km / tonne (0.45 km/tonne as part of a 19.70 tonne load)	8.44 km / tonne (0.38 km/tonne as part of a 21.93 tonne load)	Linked to 2.3d	N/A	N/A	Linked to 2.3d	N.A
	2.3b Tonnes moved split by three modes: road, rail, inland barge	Tonnes moved by each mode	Transport Impacts (section 3.4.8 of BES 6001)		475,563 tonnes (100% Road)	536,618 tonnes (100% Road)	Linked to 2.3d	N/A	N/A	Linked to 2.3d	N.A.
	2.3c Average load for each mode	Tonnes per load	Transport Impacts (section 3.4.8 of BES 6001)		19.70 tonnes	21.93 tonnes	Linked to 2.3d	N/A	N/A	Linked to 2.3d	N.A.
	2.3d CO <sub>2</sub> emissions as a proportion of production output	kgCO <sub>2e</sub> per tonne	Transport Impacts (section 3.4.8 of BES 6001)		7.59 kgCO <sub>2e</sub> /tonne (0.39kgCO <sub>2e</sub> /tonne as part of a 19.70 tonne load)	7.29 kgCO <sub>2e</sub> /tonne (0.33 kgCO <sub>2e</sub> /tonne as part of a 21.93 tonne load)	Y	Y	N/A	Maintain at 2020 Baseline	Yes
Materials Efficiency	3.1b % of additional cementitious materials (GGBS, fly ash etc.) as a proportion of total cementitious materials used	%	Resource Use & Waste Management (sections 3.4.3 & 3.4.4 of BES 6001)	Increasing the proportion of alternative cement additions (as a % of total cement) to 25%  & Increasing the proportion of recycled/ secondary aggregates (as a % of total aggregates) to 25%	31.95%	31.98%	Y	Y	N/A	Maintain proportion of cement additions at or above 25%	Yes
	3.1c Recycled/secondary aggregates as a proportion of total aggregates used	%	Resource Use & Waste Management (sections 3.4.3 & 3.4.4 of BES 6001)		0.57%	0.56%	Y	N/A	Y	Examine/assess the optimum recycled/secondary aggregate use as a proportion of total aggregate use based upon independent LCA reports	Yes

Sustainability Principles	Concrete Industry Performance Indicators & Brett Specific KPI's	Unit of expression	Required link to BES 6001	British Precast 2020 Targets (with 2012 Baseline)	Brett Landscaping Base-Line Data 2020	Brett Landscaping Annual Data 2021	Target Set	Quantitative	Qualitative	Brett Landscaping Targets to 2021	Target Achieved? Yes / No/ N.A.
<b>Water</b>	<b>3.2a</b> Mains water use as a proportion of production output	Litres per tonne	<b>Water Extraction (section 3.4.5 of BES 6001)</b>	Reduce mains water consumption by 20%	<b>54.25 Litres/tonne</b>	<b>58.71 Litres/tonne</b>	Y	Y	N/A	Maintain optimum level of overall water usage whilst maintaining Mains water usage at or below 60 litres /tonne and optimising use of recycled / recovered water subject to product technical specifications	Yes
	<b>3.2b</b> Controlled groundwater use as a proportion of production output	Litres per tonne	<b>Water Extraction (section 3.4.5 of BES 6001)</b>		<b>0.05 Litres/tonne</b>	<b>0.00 Litres/tonne</b>	Y	Y	N/A	Maintain optimum level of overall water usage whilst maintaining Mains water usage at or below 60 litres /tonne and optimising use of recycled / recovered water subject to product technical specifications	Yes
	<b>3.2c</b> Mains water intensity of production output	Production tonnes : Litres ratio	<b>Water Extraction (section 3.4.5 of BES 6001)</b>		<b>1:0.054</b>	<b>1:0.059</b>	Y	Y	N/A	Maintain 2020 ratio in-line with KPI 3.2a in 2021	Yes
	<b>3.2d</b> Controlled groundwater Intensity of production output	Production tonnes : Litres ratio	<b>Water Extraction (section 3.4.5 of BES 6001)</b>		<b>1:0.00005</b>	<b>1:0.00000</b>	Y	Y	N/A	Maintain 2020 ratio in-line with KPI 3.2a in 2021	Yes
<b>Site Stewardship</b>	<b>3.3</b> % of relevant production sites that have site specific action plans	% of relevant production sites (and absolute number compared to total)	<b>Resource Use (Section 3.4.3 of BES 6001)</b>	-	<b>100%</b>	<b>100 %</b>	N	N/A	N/A	Maintain at 100%	Yes

Sustainability Principles	Concrete Industry Performance Indicators & Brett Specific KPI's	Unit of expression	Required link to BES 6001	British Precast 2020 Targets (with 2012 Baseline)	Brett Landscaping Base-Line Data 2020	Brett Landscaping Annual Data 2021	Target Set	Quantitative	Qualitative	Brett Landscaping Targets to 2021	Target Achieved? Yes / No/ N.A. / Ongoing
Health & Safety	<p><b>4.1a</b> Reportable Injuries per 100,000 direct employees</p> <p><b>4.1</b> Lost time injuries for 'direct employees' per 1 million hours worked</p>	<p>Number of reportable injuries per 100,000 direct employees And absolute number per annum</p> <p>Number of LTI's per 1 million hours worked for direct employees and absolute number per annum</p>	<p><b>Management systems (section 3.3.3 of BES 6001)</b></p>	<p>Reduction in accident frequency of 65% between 2014 and 2018</p> <p>MPA target = 50% reduction in LTIFR between 2020 and 2025 to 1.5</p>	<p><b>2 (784 / 100,000 employees)</b></p> <p><b>4 (actual) – 7.02 LTI/ 1 million hours</b></p>	<p><b>2 (730 / 100,000 employees)</b></p> <p><b>4 (actual) – 6.02 LTI/ 1 million hours</b></p>	Y	Y	N/A	<p><b>Overarching Zero harm expectation, and maintain LTIFR 'direct employees' figures at no more than 2 LTI per annum (3.00 based on 275 employees)</b></p>	<p><b>No</b></p> <p><b>Note C</b></p>
	Employment & Skills	<p><b>4.2a</b> % of employees covered by UKAS certified ISO9001/ISO 14001/ISO45001 systems (Training &amp; competence sections)</p>		<p>% of employees covered by UKAS ISO 9001/14001 or OHSAS 18001 systems</p>	<p><b>Employment &amp; Skills (section 3.4.9 of BES 6001)</b></p>	<p>Increasing the % of employees covered by a certified management system (e.g. ISO 9001/ISO 14001/ISO45001) to 100%</p> <p>Increasing the % of employees covered by MPA Safer by competence training and qualifications to 100%</p>	<p><b>100%</b></p>	<p><b>100%</b></p>	Y	Y	N/A
<p><b>4.2b</b> % of employees covered by environmental and H&amp;S management systems following the principles of BS EN 14001 or BS EN ISO45001</p>		<p>% of employees covered by BS EN ISO 14001 or BS EN ISO 45001 systems</p>	<p>Increasing the % of employees covered by MPA Safer by competence training and qualifications to 100%</p>	<p><b>100%</b></p>		<p><b>100%</b></p>	Y	Y	N/A	<p><b>Maintain % of Relevant employees covered by BS EN ISO 14001 &amp; OHSAS 18001 management systems at 100%</b></p>	<p><b>Yes</b></p>
<p><b>4.2c</b> Safety, health, Environmental and Responsible Sourcing related training undertaken by Brett Landscaping Employees</p>		<p>Hours of training attended</p>	<p>No target set at Baseline – measure introduced in 2017</p>	<p><b>4,308 hours</b></p> <p><b>16.89 hours per employee (2.41 days based on a 7-hour training day)</b></p>		<p><b>6,860 hours</b></p> <p><b>25.04 hours per employee (3.58 days based on a 7-hour training day)</b></p>	-	-	-	-	<p><b>N/A</b></p>

Sustainability Principles	Concrete Industry Performance Indicators & Brett Specific KPI's	Unit of expression	Required link to BES 6001	British Precast 2020 Targets (with 2012 Baseline)	Brett Landscaping Base-Line Data 2020	Brett Landscaping Annual Data 2021	Target Set	Quantitative	Qualitative	Brett Landscaping Targets to 2021	Target Achieved? Yes / No / N.A / Ongoing.
Local Community	4.3 % of relevant production sites with community liaison activities (supplemented by 1.3 & 3.3)	% of relevant production sites (and absolute number compared to total)	Local Communities (section 3.4.10 of BES 6001)	Maintaining the % of relevant production sites that have community liaison activities at 100%	100%	100 %	Y	Y	N/A	Maintain % of relevant production sites that have community liaison activities at 100%	Yes
	4.3a Number of community complaints (supplemented by 1.3)	Complaints per production tonne	Local Communities (section 3.4.10 of BES 6001)		0 (Actual) Effective 0 / tonne	2 (Actual) Effective 0 / tonne	Y	Y	N/A	Overarching zero expectation with year on year reduction of 5% from 2017	No Note D
	4.3b Number of community events held or sponsored	Number of events held per year	Local Communities (section 3.4.10 of BES 6001)		9	21	Y	Y	N/A	X 'Brett Group' events each year	
	4.3c % use of constituent materials sources within 50km of production facilities (i.e. support for local business)	%	Local Communities (section 3.4.10 of BES 6001)		65.77%	65.54%	Y	Y	N/A	Maintain minimum 55% use of constituent materials sources with 50km of production facilities subject to product technical specifications and supply availability	Yes

**Notes:**

The Brett Group figures for 'events' are shown above. This is because certain operations such as 'Precast Concrete Production' is less appealing in terms of community visits, than quarry visits and it would be unfair to suggest that a lack of visits to these facilities represents a lesser level of community liaison. It should also be noted that community liaison activities are relevant and appropriate to our immediate neighbours and the areas in which we operate.

4.3c data represents the % usage of any given source within the final product. This is to ensure that the % shown is representative of £turnover & tonnage used rather than just geographic position. i.e. A single very local constituent with a low value, purchased one per year should not adversely affect (falsely improve) the published figures, as in reality such a purchase could represent 0.001% of the constituents purchased, with large value/volume items being purchased from further afield.



**Additional constituent material transportation analysis:**

Sustainability Principles	Constituent material transportation analysis	Unit of expression	Required link to Responsible Sourcing BES 6001	Related Gov't Targets (No BPCF Targets)	Brett Landscaping Base-Line Data 2020	Brett Landscaping Annual Data 2021	Brett Landscaping Targets to 2021	Target Achieved? Yes / No/ N.A. / Ongoing
CO <sub>2</sub> Emissions (Transport)	Delivery distance travelled per tonne of traceable constituent material relative to proportionate usage (from source to Brett)	km travelled per constituent tonne supplied	Transport Impacts (section 3.4.7 of BES 6001)	April 2021 UK Government target is 78% reduction by 2035 based on 1990 levels.	2.46 km per constituent tonne (return journey)	2.71 km per constituent tonne (return journey)	Maintain at or below 2.50 km / per constituent tonne performance or less (where possible)	No Note E
	Method of transportation split by modes	% moved by each mode	Transport Impacts (section 3.4.7 of BES 6001)		37.96 % (Conveyor) 48.01 % (Road) 8.69 % (Sea) 5.34 % (Rail)	39.36 % (Conveyor) 48.80 % (Road) 6.62 % (Sea) 5.22 % (Rail)	Maintain 2020 performance or enhance (where possible)	Yes
	Average load for each mode	Tonnes per load by mode	Transport Impacts (section 3.4.7 of BES 6001)		N/A (Conveyor) 30 tonnes (Road) 4000 tonnes (Sea) 1040 Tonnes (Rail) 1000 tonnes (barge)	N/A (Conveyor) 30 tonnes (Road) 4000 tonnes (Sea) 1040 Tonnes (Rail) 1000 Tonnes (Barge)	Maintain 2020 performance or enhance (where possible)	Yes

**Transport related aspects and impacts of our business and terminology used:**

Transport related environmental aspects and impacts have been assessed via the organisations UKAS accredited BS EN ISO 14001 certified management system, with the main contributory factors being CO<sub>2</sub> emissions, use of natural resources (i.e. fuel sources), transport distances and neighbourhood noise/disruption/congestion. The above is true of both 'customer transport' (KPI's 2.3a to 2.3d) and those given above. For 'Brett Transport' from gate to client, for road transportation, the current DEFRA conversion factor kgCO<sub>2</sub>/km e has been used (DEFRA Freightings Goods Table – All HGV – Average Laden - as an overall average figure combining various truck modes & sizes – for each relevant year).

As part of our policy to reduce our environment aspects and impacts associated with transport, these have been assessed via the organisations UKAS accredited BS EN ISO 14001 certified management system, examining and detailing issues pertaining to our impacts upon air, water, land, natural resources, flora, fauna and human interaction in terms of past, present and planned events under our direct control, those influenced by supplier and those influenced by customer demand.

In accordance with our transport policy, in addition to customer transport, we also monitor the constituent transport mileage on an annual basis and actively seek to source constituents from local suppliers to reduce the environmental impact of our operations. However, as we do not directly control the operations of our suppliers, we are unable to monitor their direct CO<sub>2</sub> emissions, but can monitor our own impact on this in terms of transport distances and by efficient ordering of products in 'full loads' wherever possible.

The Methodology for calculation of all transport related KPI's is taken directly from ISO 14064-1, with supporting information from the Concrete Industry SCF guidance documents in combination with DEFRA conversion factors.

## Page 8

### GHG ISO 14064-1 mandatory reporting requirements:

#### Detail of 'Boundaries'

Production of 'Precast Concrete Products'.

#### Direct and indirect emissions by GHG source

	2016	2017	2018	2019	2020	2021
Electricity (Excluding Solar)	6.498 kgCO <sub>2</sub> /tonne	5.318 kgCO <sub>2</sub> /tonne	4.383 kgCO <sub>2</sub> /tonne	3.726 kgCO <sub>2</sub> /tonne	3.482 kgCO <sub>2</sub> /tonne	2.931 kgCO <sub>2e</sub> /tonne
Solar Electricity (since Jan 2016)	0.085 kgCO <sub>2</sub> /tonne	0.065 kgCO <sub>2</sub> /tonne	0.055 kgCO <sub>2</sub> /tonne	0.042 kgCO <sub>2</sub> /tonne	0.055 kgCO <sub>2</sub> /tonne	0.033 kgCO <sub>2e</sub> /tonne
Gas oil – e.g. for heating (i.e. known as Red Diesel or Gas Oil)	1.091 kgCO <sub>2</sub> /tonne	1.027 kgCO <sub>2</sub> /tonne	1.131 kgCO <sub>2</sub> /tonne	0.954 kgCO <sub>2</sub> /tonne	0.935 kgCO <sub>2</sub> /tonne	1.311 kgCO <sub>2e</sub> /tonne
Recovered fuel oil/other heating oil (specify)	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2e</sub> /tonne
Gas Oil for mobile plant	1.052 kgCO <sub>2</sub> /tonne	0.986 kgCO <sub>2</sub> /tonne	0.870 kgCO <sub>2</sub> /tonne	0.908 kgCO <sub>2</sub> /tonne	0.965 kgCO <sub>2</sub> /tonne	0.884 kgCO <sub>2e</sub> /tonne
Mains natural gas	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2e</sub> /tonne
Bottled gas	0.047 kgCO <sub>2</sub> /tonne	0.061 kgCO <sub>2</sub> /tonne	0.031 kgCO <sub>2</sub> /tonne	0.021 kgCO <sub>2</sub> /tonne	0.023 kgCO <sub>2</sub> /tonne	0.032kgCO <sub>2e</sub> /tonne
Coal	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2e</sub> /tonne
Biofuel	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2e</sub> /tonne
Other renewable energy source	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2</sub> /tonne	0.000 kgCO <sub>2e</sub> /tonne
Other site energy source (Bulk Gas)	0.783 kgCO <sub>2</sub> /tonne	0.653 kgCO <sub>2</sub> /tonne	0.721 kgCO <sub>2</sub> /tonne	0.565 kgCO <sub>2</sub> /tonne	0.843 kgCO <sub>2</sub> /tonne	0.902 kgCO <sub>2e</sub> /tonne

#### A description of how the CO<sub>2</sub> from biomass fuel is treated

Not Applicable.

#### A description of how the CO<sub>2</sub> relating to Solar Generated Electricity is treated

2 x 49.9. kW Solar farms at Cliffe are registered for Feed-In Tariff Payments and as such their generation is counted within UK Government Electricity Generation calculations. Therefore, Solar Electricity generation is subject to same CO<sub>2</sub> conversion factor as National Grid Supplied Electricity

#### GHG removals

Not Applicable.

#### Exclusion of GHG sources and justification statement

No exclusions made within the boundaries established.

#### Historical base year data

The base line year is given as 2016 unless otherwise stated, as published data above.

#### Explanation of changes from the base year, or recalculation of data

Steady progress towards established targets has been made.

#### Reference to quantification methodology and factors and any changes made (this statement includes the methodology for production, client transport and constituent transport)

Methodology taken directly from ISO 14064-1, with supporting information from the Concrete Industry SCF guidance documents in combination with Defra conversion factors. Please also see overall summary notes (below).

#### Uncertainty statement

The organisation has undertaken an uncertainty exercise in accordance with EPA regulations. However, the data collation is verified before use, and the factors used to determine GHG are supplied by Defra, with the uncertainty values being extremely low. The level of uncertainty of the resulting estimates depends significantly on the source category and the pollutant. However, as our sources of CO<sub>2</sub> emissions arise from the combustion of fuel, this uncertainty is vastly reduced, as emissions can be estimated with a high degree of certainty regardless of how the fuel is used as these emissions depend almost exclusively on the carbon content of the fuel, which is generally known with a high degree of precision. The fuel used in our case is almost exclusively gas/electric, with other fuel sources as defined within the relevant SCF PI Guidance Document appendices. Hence, no organisation has determined that no further safety/variance values or factors are required in terms of onward reporting.

#### Verification statement, and type of verification and level of assurance achieved

AA1000 moderate level of assurance. This level of assurance is equivalent of a limited assurance under ISO 14064-3. ESOS compliant

### Overall summary notes:

Brett Landscaping has adopted the objectives and targets detailed above. Where organisation data indicates that the industry (trade association) target has been met, whilst it is desirable to surpass the aforementioned target, the requirements in terms of BES 6001 have been achieved. Revised 'organisational' targets will be discussed within the management review meetings to determine the scope for further improvement. KPI 2.3d relates to the transportation of the product 'Precast concrete' from the production facility to site, and the associated return journey, linked to KPI's 2.3a-c. Transport related environmental aspects and impacts have been assessed via the organisations UKAS accredited BS EN ISO 14001 certified management system, with the main contributory factors being CO<sub>2</sub> emissions and transport distances. Revisions to published 2012/2017 data have been made as a result of changes in reporting requirements, in order to maintain continuity and enable 'like-for-like' comparison and measurement of improvement. The term 'UKAS' refers to a certificate issued by a UKAS accredited certification body.

**NOTES:****NOTE A: Energy and CO<sub>2e</sub> Emissions: kWh per tonne / Energy Intensity**

FY 2021 Actual at 26.86 kWh/t did not meet the 2021 Target of 24.18 kWh/t which was based on targeted reduction of 1.5% versus FY2019 with exception of Bulk Gas where the baseline was set as H2 2020 usage. This hybrid baseline was used as FY2020 Production output was affected by the suspension of production at all factories for 6-12 weeks during Q2 2020 due to Covid-19 pandemic with majority of Brett production personnel furloughed. The actual performance was also higher than FY 2020. The majority was due to increased heating requirements during very low ambient temperatures in Q1 2021 within curing rooms to maintain Product Quality. In addition, the installation of additional equipment (Face-mix system) into Cliffe required reinstatement of heated curing system within the R2 factory, whereas prior year's this facility did not require additional heated curing. Going forward, FY2021 will be used as baseline as this reflects current operational profile

**NOTE B: Energy and GHG Emissions: kgCO<sub>2e</sub> per tonne / GHG Intensity**

FY 2021 Actual at 6.09 kgCO<sub>2e</sub>/t did not meet the 2021 Target of 5.96 kgCO<sub>2e</sub>/t which was based on targeted reduction of 1.5% versus FY2019 with exception of Bulk Gas where the baseline was set as H2 2020 usage. This hybrid baseline was used as FY2020 Production output was affected by the suspension of production at all factories for 6-12 weeks during Q2 2020 due to Covid-19 pandemic with majority of Brett production personnel furloughed. Note DEFRA conversion factors for the 2021 data was applied to absolute usage rates to reflect true targeting. However, the actual performance was better than both FY2019 (6.22 kgCO<sub>2</sub>/t) and FY2020 (6.30 kgCO<sub>2</sub>/t). In addition, the GHG intensity was essentially unchanged at 0.2% higher than FY 2020.

**NOTE C: Reportable Injuries per 100,000 direct employees / Lost time injuries for 'direct employees' per 1 million hours worked**

FY 2021 – 2 RIDDOR reportable injuries and 2 other 1-7 days LTI.





**NOTE D: Local Community: Number of Community Complaints**

1 noise compliant (nightshift operations) – reviewed with Local authority EHO. 1 dust emissions complaint from adjacent premises.

**NOTE E: CO<sub>2</sub> Emissions (Transport): delivery distance travelled per tonne of traceable constituent material relative to proportionate usage**

FY2021 at 2.71 km per constituent tonne exceeded target level of 2.50 km per constituent tonne. This increase was due to specific aggregate supply issues within the West Midlands with a single contracted approved material supplier company which required alternative source quarries at greater distance to be utilised to maintain production with suitable raw materials to meet quality standards for both product strength and aesthetics. This suppliers' individual contribution to this calculation rose from 0.53 km per constituent tonne FY 2020 to 0.76 km per constituent tonne FY 2021 accounting for 92% of the increase in FY2021 vs FY2020. However, despite this over 65% of all raw materials by weight were Locally Sourced in FY2021 (within 50km of production facilities).

## ENERGY / CO<sub>2</sub> / WATER / WASTE TO LANDFILL YEAR ON YEAR PROGRESS



# GREENHOUSE GAS EMISSIONS - CO<sub>2e</sub> YEAR ON YEAR PROGRESS 2012 - 2021

Brett Landscaping BES6001 - CO<sub>2e</sub> emissions - kg/tonne

