

## Important contact details - trade only

#### **Customer Services and Sales**

Tel: 0345 60 80 577

#### **Direct to Site Enquiries**

Tel: 0345 60 80 579

#### **Brett Approved Installers**

Tel: 0345 60 80 578 Email: bai@brett.co.uk

#### **Customer Relations**

Tel: 0345 60 80 574

Email: customer.relations@brett.co.uk

www.brettlandscaping.co.uk
email: landscapinginfo@brett.co.uk



## Supporting our industry

At Brett we don't just supply the construction and landscaping industries, we help to develop them. With Brett team members actively involved in industry bodies including the Builder's Merchants Federation (BMF), Interpave and the Mineral Products Association (MPA), we work to shape and enhance industry standards.













## **Contents**

3	Support Services	23	GeoCeramica® Marmostone	46	Omega Flow	70	Garden Edgings
4	Technical Support	24	GeoCeramica® Mosaik	47	Omega Pencil Edge	71	Kiln Dried Sand & Permeable Chipping
_	Complementary Products		Natural Stone	48	Omega Tumbled	72	Alpha & Drivestyle Kerb
5	Explained		Rippled Limestone Paving	50	Regatta TRIO	73	High Kerb
6	PORCELAIN & NATURAL STONE	26	Riven Sandstone Paving	51	51 Regatta Circle		Mobility Kerb
7	Eclipse Porcelain 27 Riven Slate Paving		52	Zeta Lock	75	Omega Kerb	
	Eden Porcelain	28	Natural Stone - what to look for	53	Machine Lay Paving	76	Transitions
8	Eden Limestone Porcelain	30	CONCRETE BLOCK PAVING	54		77	Vintage Kerb
9	Eden Sandstone Porcelain	31	Alpha	55	British Standard	78	Radius Calculator
10	Eden Slate Porcelain	32	Alpha TRIO	56	Broadway Economy	79	Stepping Stones
	Elegante Porcelain	33	Alpha Circle	57	Bronte Paving	80	Porcelain Walling & Accessories
11	Elegante Basalt	34	Alpha Flow	58	Bronte Circles	82	COMMERCIAL KERBS
12	Elegante Quartz	35	Aura	59	Canterbury	83	Meltone
13	Elegante Timber	36	Beta	60	Chaucer	84	Yorktone
15	Porcelain Planks	37	Beta TRIO	61	Meltone		Specialist Kerbs
16-17	Elegante Accessories	38	Beta Circle	62	Quorndon	85-89	Kassel Kerb
	Porcelain Walling	39	Delta	63	Stamford	65-65	(including Diamond Paving)
18	Coastal Porcelain Walling	40	Invicta	64	Stamford Ultra	90-98	Trief Kerb
19	Tempest Porcelain Walling	41	Invicta Flow	65-66	Tactile	99-101	Additional & Further Information
	GeoCeramica® Porcelain	42	Lugano	67	Yorktone		
20	GeoCeramica® Bluestone	43	Lugano TRIO	68	ACCESSORIES		
21	21 GeoCeramica® Fiordi 44 Lug		Lugano Flow		Dished Channels, Line Drains		
22	GeoCeramica® Impasto	45	Omega	69	& Manhole Covers		

## Support Services call 0345 60 80 570 or visit brettlandscaping.co.uk

We offer a range of support services to help you and your customers get the best from any landscaping project.

#### **Samples**

Get hands-on and experience the quality of our products – request samples from our Customer Services Team.



#### CAD

Our professional CAD Design service can create plans and bills of quantities for your commercial projects, complete with a draft layout and measurements, helping to provide accurate customer quotations.

#### **Laying Patterns**

Visit our website to view a range of laying patterns to suit almost any application.





#### **Customer Services**

Our friendly and knowledgeable staff are available to provide any advice or information you need, from product details to recommended installation methods.

#### **NBS & BIM**

We offer extensive NBS specifications and a comprehensive range of free-to-use BIM objects.






## **Technical Support**

Visit **brettlandscaping.co.uk** to download technical data sheets, laying patterns and product information sheets.

- · Navigate to all key sections
- Dedicated homeowner and professional areas
- Products shown in application
- · Quick links to product data
- · Technical Data Sheets
- Colour availability and laying patterns
- · Find your nearest stockist
- Find out more about our sustainability strategy, GreenScape
- Find out more about Brett Approved Installers



## inplementary Products Explained

Looking for matching or complementary products for your selected paving? The icons and corresponding page numbers featured at the top of each product page make it easy. The following key explains the meaning of each icon:



ACCESSORIES



CIRCLE PACKS



COMPLEMENTARY **EDGING** 



COMPLEMENTARY KERBS



COMPLEMENTARY SLABS



COMPLEMENTARY WALLING



LINEAR PACKS



MATCHING EDGING



MATCHING **KERBS** 



MACHINE LAY



MATCHING SLABS



MATCHING STEPPING STONES



MIXED SIZE PACKS



PERMEABLE



PERMEABLE CHIPPINGS



PACKS



## Porcelain & Natural Stone





#### **CONTENTS**

7	Eclipse Porcelain
	Eden Porcelain
8	Eden Limestone Porcelain
9	Eden Sandstone Porcelain
10	Eden Slate Porcelain
	Elegante Porcelain
11	Elegante Basalt
12	Elegante Quartz
13	Elegante Timber
15	Porcelain Planks
16-17	Elegante Accessories

	Porcelain Walling
18	Coastal Porcelain Walling
19	Tempest Porcelain Walling
	GeoCeramica® Porcelain
20	GeoCeramica® Bluestone
21	GeoCeramica® Fiordi
22	GeoCeramica® Impasto
23	GeoCeramica® Marmostone
24	GeoCeramica® Mosaik
	Natural Stone
25	Rippled Limestone Paving
26	Riven Sandstone Paving
27	Riven Slate Paving
28	Natural Stone - what to look for









Porcelain Paving

Eclipse

#### Description

A clean, refined range, Brett Eclipse Porcelain is a great value offer, and is available in six distinct stone-imitation colour options.

#### Application

Brett Eclipse Porcelain has been designed for domestic use, including patios, pathways and internal floor coverings. It isn't recommended for use in vehicular trafficking or commercial applications.

#### Notes:

Coverage figures assume a nominal 5mm joint width.

\* Add colour references (AP, AZ etc.) to complete product codes.













Description		Thickness	No.per	m² nau	m² per No.per		Pack -	Colour/Availability						
Product	Product code*	Plan size mm	mm	pack	pack	m²	Pack wt max kg		Apollo (AP)	Azure (AZ)	Cosmic (CO)	Lunar LU)	Pulsar (PU)	Stellar (ST)
Eclipse Porcelain	ECPB20	600 x 600	20	64	23.43	2.73	1070	Pallet	Ex Stock	Ex Stock	Ex Stock	Ex Stock	Ex Stock	Ex Stock

## Eden Limestone Porcelain paves





Description

Contemporary meets timeless elegance. Introducing our brand-new 900 x 600mm ECO range to complement our existing 800 x 800mm plan size and 1200 x 600mm linear size, Eden Limestone can be distinguished by its natural patterning consisting of a complementary colour palette.

#### Application

Brett Eden Limestone Porcelain is designed for domestic use, including patios, pathways and internal floor coverings. It isn't recommended for use in vehicular trafficking applications.









	Description		Thickness	No. per	m² per	No. per	Pack wt	Pack	Colour/Availability			
Product	Product code*	Plan size mm	mm	pack	pack	m²	max kg	type	Cream (CR)	Fawn (FA)	Mink (MI)	
Eden Limestone	EDLIV20	1200 x 600	20	36	26.24	1.37	1260	Pallet	Ex Stock	Ex Stock	Ex Stock	
Porcelain	EDLIS20	800 x 800		45	29.16	1.54	1373					
Eden Limestone ECO Porcelain*	EDLID20	900 x 600		48	26.28	1.83	1200			-	-	

Coverage figures assume a nominal 5mm joint width.

- \* Add colour references (CA, FA etc.) to complete product codes.
- \* Our ECO porcelain has a different origin of manufacture to our Eden Limestone Porcelain. Please do not mix with other sizes in the Eden Limestone range due to texture variation.





Offering the subtle, timeless aesthetics of natural sandstone. combined with the durability and stain-resistance of porcelain, Eden Sandstone paving is offered in two classic natural stone colour blends.

#### Application

Brett Eden Sandstone Porcelain is designed for domestic use, including patios, pathways and internal floor coverings. It isn't recommended for use in vehicular trafficking or commercial applications. Available as a mixed-sized patio pack.





Porcelain Paving

	PATIO PACK		Thickness	No	m² ∳or	No	Pack wt	Pack	Colour/Availability	
Product	Product code*	Plan size mm	mm	pack		type	Autumn Blend (AB)	Spring Blend (SB)		
		600 x 600								
Eden Sandstone Porcelain	EDSAP20	600 x 300	20	24	15.44	N/A	712	Pallet	Ex Stock	Ex Stock
. 0.00.0		300 x 300								

#### Notes:

Coverage figures assume a nominal 5mm joint width.

\* Add colour references (AB, SB) to complete product codes.



Porcelain Paving Ede

Eden Slate

#### e 1

#### Description

Taking its inspiration from natural riven slate, this beautiful porcelain paving will bring clean, distinguished style to any outdoor space, and offers both durability and stain resistance.

#### Application

Brett Eden Slate Porcelain is designed for domestic use, including patios, pathways and internal floor coverings. It isn't recommended for use in vehicular trafficking applications. Available as single size and a mixed-sized patio pack.


#### Notes:

Coverage figures assume a nominal 5mm joint width.

 \* Add colour references (CS, MS) to complete product codes.



Description





Colour/Availability

				No. per	er   m-per	i No. per	I Pack wt			
Product	Product code*	Plan size mm	mm			pack m <sup>2</sup>		type	Clouded Sky (CS)	Midnight Shadow (MS)
Eden Slate Porcelain	EDSLV20	1000 x 500	20	40	20.	B 1.97	920	Pallet	Ex Stock	Ex Stock
	PATIO PACK				XXC				Colour/6	wailability
	PATIO PACK	Thickness	No. per	m² per	No. per	Pack wt	Pack	Colour/F	Wallability	
Product	Product code*	Plan size mm	mm	pack	pack	m <sup>2</sup>	max kg	type	Clouded Sky (CS)	Midnight Shadow (MS)
		500 x 500								
Eden Slate Porcelain	EDSLP20	500 x 250	20	48	21.54	N/A	981	Pallet	Ex Stock	Ex Stock
1 01 0010111		250 x 250								











P.16-17

P.18-19

P.15

Description

Beautifully durable, premium quality Elegante Basalt combines an enchanting speckled surface with a fine-grained texture. Perfect for creating hard-wearing patio that'll stay attractive for years to come.

#### Application

Brett Elegante Basalt Porcelain has been designed for domestic use, including patios, pathways and internal floor coverings. It isn't recommended for use in vehicular trafficking applications.

#### Notes:

Brett Elegante Basalt has a complete set of accessories for integration into any project. Coverage figures assume a nominal 5mm ioint width.

\* Add colour reference (DA) to complete product codes.





Porcelain Paving

Description		Thickness	No. per	2	No. per	Dook wit	Pack	Colour/Availability	
Product	Product code*	Plan size mm	mm	pack	m² per pack	m <sup>2</sup>	Pack wt max kg	type	Dark Ash (DA)
Elegante Basalt	EPBL20	1000 x 500	20	50	25.38	1.97	1195	Pallet	Ex Stock







Porcelain Paving Elegante Quartz

#### Description

Featuring a distinct, fine-veined texture, Brett Elegante Quartz porcelain paving offers contemporary looks, combined with the practicalities of porcelain paving.

#### Application

Brett Elegante Quartz Porcelain has been designed for domestic use, including patios, pathways and internal floor coverings. It isn't recommended for use in vehicular trafficking applications.





	Description		Thickness	No. per	m² per	No. per	Pack wt	Pack	Colour/Availability	
Product	Product code*	Plan size mm	mm	pack	pack	m <sup>2</sup>	max kg	type	Greige (GR)	
Elegante Quartz	EPQL20	1200 x 400	00	48	23.43	2.05	1103	Pallet	Ex Stock	
Elegante Quartz ECO*	EPQD20	900 x 600	20	48	26.28	1.83	1200	Pallet	EX Stock	


#### Notes:

Brett Elegante Quartz has a complete set of accessories for integration into any project.

Coverage figures assume a nominal 5mm joint width.

- \* Add colour references (GR) to complete product codes.
- \* Our ECO porcelain has a different origin of manufacture to our Elegante Quartz Porcelain. Please do not mix with other sizes in the Elegante Quartz range due to texture variation.

## **Elegante Timber** paving





Porcelain Paving



Brett Elegante Timber Porcelain paving replicates the look of traditional worn timber in three shades - Driftwood, Vintage Oak and Cedar delivering all of the practical benefits of porcelain paving.

#### Application

Brett Elegante Timber Porcelain has been designed for domestic use, including patios, pathways and internal floor coverings. It isn't recommended for use in vehicular trafficking or commercial applications.

# Elegante Timber Driftwood







	Description		Thickness	No. per	m² per	No. per	Pack wt	Pack	Colour/Availability			
Product	Product code*	Plan size mm	mm	pack	m- per pack	m <sup>2</sup>	max kg	type	Cedar (CE)	Driftwood (DW)	Vintage Oak (VO)	
Elegante Timber	EPWL20	1200 x 400	20	48	23.43	2.05	1057	Pallet	Ex Stock	Ex Stock	Ex Stock	

#### Notes:

Brett Elegante Timber has a complete set of accessories for integration into any project. Coverage figures assume a nominal 5mm

joint width.

Add colour references (CE, DW, etc.) to complete product codes.












Our Porcelain Planks are the essential finishing touch to your paving project. Designed to complement the Brett Porcelain range of paving, our versatile 1200 x 200mm Porcelain Planks are available in two popular shades, enhancing your project as edging, cladding, step treads and step risers.

#### Application

Brett Porcelain Planks have a variety of applications for domestic use. They are not designed for vehicular trafficking or commercial applications.



	Description		Thickness	No. per	m² per	No. per	Pack wt	Pack	Colour/Availability	
Product	Product code*	Plan size mm	mm	pack	pack	m <sup>2</sup>	max kg	type	Black (NS)	Grey (SM)
Porcelain Planks	PSP20	1200 x 200	20	96	23.43	4.05	1210	Pallet	Ex Stock	Ex Stock

#### Notes:

Coverage figures assume a nominal 5mm joint width.

 \* Add colour references (NS, SM) to complete product codes.

The Brett Elegante Porcelain range includes a complete suite of accessories, designed to perfectly integrate into any paving project. All of these items are 'MTO'.

For more details please call our team on 0345 60 80 577.

#### Application

Brett Elegante Accessories are designed for domestic use, including pathways, steps and copings. They are not recommended for use in vehicular trafficking or commercial applications.


#### Notes:

Other accessories, including troughs and swimming pool grates are also available upon enquiry.

#### Copings

Standard Coping - texture and drips on the 'length edges

End Coping texture and drips on the 'length edges' and one 'width edge'



	Standard	d Coping	End Coping			
Description	Length mm	Width mm	Length mm	Width mm		
Basalt Range	1000	400	1000	400		
Quartz Range	1200	400	1200	400		
Timber Range	1200	400	1200	400		

#### Step Treads


P.11-13 P.11-13

Standard Step Tread - texture on the top and one 'length edge'.

Left Step Tread - texture on the top, 'length edge' and the 'left width'.

Right Step Tread - texture on the top, 'length edge' and the 'right width'.

Left and Right are defined as you look at the textured length.



	Standard S	Step Tread	Left & Right Step Tread			
Description	Length mm	Width mm	Length mm	Width mm		
Basalt Range	1000	400	1000	400		
Quartz Range	1200	400	1200	400		
Timber Range	1200	400	1200	400		

The Brett Elegante Porcelain range includes a complete suite of accessories, designed to perfectly integrate into any paving project. All of these items are 'made to order'.

For more details please call our team on **0345 60 80 577**.

#### Application

Brett Elegante Accessories are designed for domestic use, including pathways, steps and copings. They are not recommended for use in vehicular trafficking or commercial applications.

#### Notes:

Other accessories, including troughs and swimming pool grates are also available upon enquiry.


\*When used as a step, units need to be installed and/or cut to a height between 150mm and 170mm to ensure compliance with BS8300-1.

#### 'L' Units

'L' Kerb Unit - A two faced textured unit 150mm (w) x 200 (ks)

L' Edging Ont - A two faced textured unit 150mm (w) x 40mm (h)

Unit dimensions for each Elegante Range are in the table below.




#### Step Riser

Standard Step Riser - texture on the facing height only

End Step Riser - texture on the facing height and the 'end height'.

Turn through 180° for 'left' or 'right'.

Unit dimensions for each Elegante Range are in the table below.



	`L' Ker	b Unit	`L' Edging Unit			
Description	Length mm	Height mm	Length mm	Height mm		
Basalt Range	600	200*	1000	40		
Quartz Range	600	200*	1200	40		
Timber Range	600	200*	1200	40		

	Standard S	Step Tread	Left & Right Step Tread			
Description	Length mm	Width mm	Length mm	Width mm		
Basalt Range	1000	200*	1000	200*		
Quartz Range	1200	200*	1200	200*		
Timber Range	1200	200*	1200	200*		

Porcelain Paving

Whether your customers live near the ocean – or if they just want that cool, calm feeling, our strikingly Coastal Porcelain range provides the perfect seamless extension from indoor to outdoor living spaces. Contemporary, easy to maintain and just waiting for your customers to add their style and vision.


#### Application

Brett Porcelain walling has a variety of applications for domestic use. They are not designed for vehicular trafficking or commercial applications.

#### Notes:

- Not a structural walling
- Requires an external tile adhesive suitable for porcelain large format tiles
- · Use external tile grout for porcelain
- Add colour references (OC, SM) to complete product codes.





	Description			No. per	m² per	Pack wt	Pack	Colour/Availability		
Product	Product code*	Plan size mm	Thickness mm	pack	pack	max kg	type	Ocean (OC)	Sea Mist (SM)	
Coastal Porcelain Walling	PWC	400 x 160	10 Av.	15	0.96	16.75	Вох	Ex Stock	Ex Stock	

Assumes a 0mm joint.

## Tempest Porcelain walling



#### Description

Tempest - its very name conjures intrigue and seduction. Available in contrasting tones, this Porcelain range provides stunning design flexibility with contemporary modernism and a surface that's easy to maintain. Whether inside or out, Tempest turns a wall into a masterpiece.

#### Application

Brett Porcelain walling has a variety of applications for domestic use. They are not designed for vehicular trafficking or commercial applications.

#### Notes:

- · Not a structural walling
- · Requires an external tile adhesive suitable for porcelain large format tiles
- · Use external tile grout for porcelain
- Add colour references (VA, WA) to complete product codes.







	Description		Thickness	No. per	m² per	Pack wt	Pack	Colour/Availability		
Product	Product code*	Plan size mm	mm	pack	pack	max kg	type	Volcanic Ash (VA)	Warm Amber (WA)	
Tempest Porcelain Walling	PWT	385 x 75	10 Av.	26	0.75	13.40	Вох	Ex Stock	Ex Stock	

Assumes a 0mm joint.

## GeoCeramica® Bluestone paving




#### Description

A hybrid porcelain and concrete paving flag, Brett GeoCeramica® features an appearance, reminiscent of dark granite, but with the added benefits of modern porcelain paving and the installation ease of concrete flags.

#### Application

The 60mm thickness of Bluestone has been tried and tested for use in a wide variety of paving applications, including lightly trafficked areas and domestic driveways.





	Description		Thickness	No	2	No. per	Pack wt	Pack	Colour/Availability	
Product	Product code*	Plan size mm	nm mm	No. per pack	m² per pack	m <sup>2</sup>	max kg		Gris Claro (CO)	Noir Puro (NP)
GeoCeramica® Bluestone	GCDB60	600 x 600	60	19	6.84	2.78	912	Pallet	Ex Stock	Ex Stock

#### Notes:

Externally, Brett GeoCeramica® pavements should be designed and constructed in accordance with the basic principles of BS 7533, however, a further guidance document that includes additional help is available on request. Pack statistics assume a narrow joint width.

\* Add colour references (CO, NP etc.) to complete product codes.







Brett GeoCeramica® Fiordi has a textured, variegated surface inspired by natural sandstone. This brings a unique aesthetic mixture of light and shade effects to your design, while its hybrid construction combines the benefits of modern porcelain paving with the installation ease of concrete flags.

#### Application

Fiordi paving is available in both 60mm and 40mm thicknesses, making it suitable for a wide range of paving applications, from domestic patio projects to vehicular trafficked domestic driveways.









	Description		Thickness	No. per	m² per	No. per	Pack wt	Pack	Colour/Availability		
Product	Product code*	Plan size mm	mm	pack	pack	m <sup>2</sup>	max kg	type	Fumo (FU)	Grigio (GR)	Sand (SA)
GeoCeramica® Fiordi	GCFB60	600 x 600	60	19	6.84	2.78	912	Dellet	МТО	МТО	МТО
GeoCeramica® Fiordi	GCFB40	600 x 600	40	28	10.08	2.78	882	Pallet	Ex Stock	Ex Stock	Ex Stock

#### Notes:

Externally, Brett GeoCeramica® pavements should be designed and constructed in accordance with the basic principles of BS 7533, however, a further guidance document that includes additional help is available on request. Pack statistics assume a narrow joint width.

\* Add colour references (FU, GR, etc.) to complete product codes.








GeoCeramica® Impasto


#### Description

Part of the Brett GeoCeramica® range of hybrid porcelain and concrete paving flags, Impasto paving provides the luxurious look of traditional Belgian Blue Limestone, with its natural, subtle veins, lines and patterns.

#### Application

Impasto 40mm is designed for patio applications.





Description			Thickness	iskassa Na nav		No. per	Pack wt	Pack	Colour/Availability	
Product	Product code*	Plan size mm	mm	No. per pack	m² per pack	m <sup>2</sup>	max kg	type	Grigio (GR)	Noir (NG)
GeoCeramica® Impasto	GCIB40	600 x 600	40	28	10.08	2.78	882	Pallet	Ex Stock	МТО

#### Notes:

Externally, Brett GeoCeramica® pavements should be designed and constructed in accordance with the basic principles of BS 7533, however, a further guidance document that includes additional help is available on request.

Pack statistics assume a narrow joint width.

\* Add colour references (GR, NG) to complete product codes.





Brett GeoCeramica® Marmostone paving takes its inspiration from natural marble paving, providing the beauty of natural stone, but with the added benefits of modern porcelain paving and the installation ease of concrete flags.

#### Application

Marmostone 40mm is designed for patio applications.



Description		Thickness No. per		2	No. per	Pack wt	Pack	Colour/Availability		
Product	Product code*	Plan size mm	mm	pack	m² per pack	m <sup>2</sup>	max kg	type	Black (BL)	Grey (GY)
GeoCeramica® Marmostone	GCMB40	600 x 600	40	28	10.08	2.78	882	Pallet	Ex Stock	Ex Stock

#### Notes:

Externally, Brett GeoCeramica® pavements should be designed and constructed in accordance with the basic principles of BS 7533, however, a further guidance document that includes additional help is available on request.

Pack statistics assume a narrow joint width.

\* Add colour references (BL, GY) to complete product codes.

## GeoCeramica® Mosaik paving







#### Description

Allowing the creation of a modern, romantic ambience, Mosaik's creative pattern makes it ideal for use both on its own, or to complement other GeoCeramica® products such as Fiordi. Due to its hybrid porcelain and concrete flag construction, it offers the benefits of modern porcelain paving and the installation ease of concrete flags.

#### Application

Mosaik 40mm is designed for patio applications only.



Description		Thickness No. per	m² per	No. per	Pack wt	Pack	Colour/Availability			
Product	Product code*	Plan size mm	Thickness mm	No. per pack	pack	m <sup>2</sup>	max kg	type	Grigio (GR)	Sand (SA)
GeoCeramica® Mosaik	GCPB40	600 x 600	40	16	5.76	2.78	504	Pallet	Ex Stock	МТО

#### Notes:

Externally, Brett GeoCeramica® pavements should be designed and constructed in accordance with the basic principles of BS 7533, however, a further guidance document that includes additional help is available on request.

Pack statistics assume a narrow joint width.

\* Add colour references (GR, SA) to complete product codes.

## Rippled Limestone paving



The natural warmth and traditional appearance of Rippled Limestone suits both traditional and contemporary garden settings. Our range of Rippled Limestone is hand-cut to standard thicknesses for ease of installation, whilst retaining its natural strength and durability.

#### Application

Brett Rippled Limestone has been designed for domestic use, including patios and pathways. It isn't recommended for use in vehicular trafficked areas.







H B B B B H B D D B B B B B B B B B B B	
4.58m	

	PATIO PACK			No. per	m² per	Pack wt	Pack	Colour/Availability	
Flag	Product code*	Plan size mm	Thickness mm	pack	pack	max kg	type	Honey (HY)	Mystic Sky (MS)
D		900 x 600		7833					
В	LMLD	600 x 600	22	22	15.25	040	Crate	Ex Stock	Ex Stock
Н	LMLP	600 x 300			15.37	840			
G		300 x 300							

#### SINGLE SIZE PACKS Colour/Availability Calibrated m² per No. per Pack wt Pack Thickness Product Plan size pack pack max kg type Flag code\* I MD--900 x 600 28 15 54 22 840 Ex Stock Ex Stock Crate I MB--600 x 600 40 14.88

#### Notes:

All stone products include a natural colour variation which gives the product its unique character. For more information on stone colours please see page 29. Coverage figures assume a nominal 10mm joint width.

\* Add colour references (HY, MS etc.) to complete product codes.

## Riven Sandstone paving





Description

Our calibrated range of Riven Sandstone paving is accurately sawn to an even thickness, enabling quick and easy installation. Brett Riven Sandstone offers a wide variety of rich, characterful colours to suit every style and garden type.

#### Application

Brett Riven Sandstone has been designed for domestic use, including patios and pathways. It isn't recommended for use in vehicular trafficked areas

#### Notes:

All stone products include a natural colour variation which gives the product its unique character. For more information on stone colours please see page 29.

Coverage figures assume a nominal 10mm ioint width.

- \* Add colour references (FG, FM etc.) to complete product codes.
- \*\* Fossil Mint pack weight is 20kg less.







Natural Stone

PATIO PACK			Calibrated	No. per	m² per	Pack wt	Pack	Colour/Availability				
Flag	Product code*	Plan size mm	Thickness mm	pack	pack	max kg	type	Forest Glen (FG)	Fossil Mint (FM)	Mountain Mist (MM)	Sunrise (SR)	
D		900 x 600			15.37	800	\\ \tag{2}	<b>5</b>				
В	CCLD	600 x 600	22	13			Crate	te Ex Stock	Ex Stock	Ex Stock	Ex Stock	
Н	SSLP	600 x 300	22	9			Crate					
G		300 x 300										

SI	Calibrated	No. per m² per	m² max	Pack wt	Pack	Colour/Availability					
Flag	Product code*	Plan size mm	Thickness pack	pack	max kg	type	Forest Glen (FG)	Fossil Mint (FM)	Mountain Mist (MM)	Sunrise (SR)	
D	SSD	900 x 600	- 22	28	15.54	820**	Crate	Ex Stock	Ex Stock	Ex Stock	Ex Stock
В	SSB	600 x 600	22	40	14.88	780**		EX STOCK	EX SIOCK	EX STOCK	

Brett's high-quality Brazilian Slate is carefully selected directly from the quarry for the beauty of its naturally-occurring tones and characterful surface, offering a stylish contemporary look.

#### Application

Brett Riven Slate has been designed for domestic use, including patios and pathways. It isn't recommended for use in vehicular trafficked areas.

#### Notes:

All stone products include a natural colour variation which gives the product its unique character. For more information on stone colours please see page 29.

Coverage figures assume a nominal 10mm joint width.

\* Add colour references (OB, WG) to complete product codes.







	PATIO PACK		Calibrated	No. per	m² per	Pack wt	Pack	Colour/Availability		
Flag	Product Plan size code* mm	Thickness mm	pack	pack	max kg	type	Olive Black (OB)	Woodland Grey (WG)		
D		900 x 600	22	13	15.37			Ex Stock	Ex Stock	
В	CITID	600 x 600				900	Crate			
Н	SLTLP	600 x 300								
G		300 x 300		9						

### Natural Stone what to look for

While it's difficult to exactly define the colours of any naturally-occurring material due to variations in composition, formation and other environmental factors, there are – broadly speaking – three types of natural stone:

- 1. Sedimentary rocks including sandstone and limestone
- 2. Igneous rocks such as granite
- Metamorphic rocks, for instance slate.

Igneous rocks are the most consistent in their appearance, are very dense and feature uniform textures and colours, making them ideal for applications where surface variation should be minimised – for example complementing and creating sharp, modern designs.

Sedimentary and metamorphic rocks, on the other hand, feature far broader variations in their colour and texture. The presence of naturally-occurring iron oxides, for example, is generally responsible for the red/brown colours often found in natural sedimentary stone products such as Sandstone.

These minerals can also create veins which run through the rock, resulting in a patterned appearance. This can be further enhanced by the presence of fossil deposits – such as those often seen within Fossil Mint – which can add further visual interest.

Far from being faults in the product, these naturally-occurring variations give stone paving its long-lasting beauty,

a beauty which improves over time as the stone weathers with its surroundings.

The other factor which is responsible for the variation within the Brett Natural Stone paving range is the effect of processing.

For example, while both our Flamed and Riven Sandstone products are available with a Sunrise colour option, the two will look dramatically different due to their differing textures.

These variations can be used to create striking designs, where contrasting stone textures and colours will bring a sense of natural fluidity to a paved area.

#### **Natural Stone colouring**



#### Natural mineral markings

A. Natural veining

D. Greens

**B.** Fossil inclusions

E. Yellows

C. Browns

F. Buffs







## Concrete Block Paving







#### CONTENTS

- 31 Alpha
- 32 Alpha TRIO
- 33 Alpha Circle
- 34 Alpha Flow
- 35 Aura
- Beta
- 37 Beta TRIO
- 38 Beta Circle
- 39 Delta
- 40 Invicta
- 1 Invicta Flow
- 42 Lugano
- 43 Lugano TRIO



- 44 Lugano Flow
- 45 Omega
- 46 Omega Flow
- 47 Omega Pencil Edge
- Omega Tumbled
- Regatta TRIO
- 51 Regatta Circle
- Zeta Lock
- 53 Machine Lay Paving

31









P.69 P.72 & 77





Concrete Block Paving

Alpha

#### Description

Designed with a traditional, aged appearance, Brett Alpha is a modular surface tumbled paving unit, and is available in three plan sizes.

Alpha paving

#### **Application**

Equally suited to small residential projects and large urban and commercial installations, Alpha enhances a wide range of property types and styles.

#### Notes:

Brett Alpha pavements should be designed and constructed in accordance with the requirements of BS 7533.

Add colour references (AG, BR etc.) to complete product codes.











Description			<b></b>		,					Co	olour/Availabi	ity	
Product	Product code*	Plan size mm	Thickness mm	No.per pack	m² per pack	No.per m²	Pack wt max kg	Pack type	Autumn Gold (AG)	Brindle (BR)	Burnt Oak (BO)	Charcoal (CL)	Silver Haze (SH)
50MM SINGLE SIZE PACKS													
Small	NLAS50	105 x 140	50	732	10.76	68	1147	Void	Ex Stock	-	МТО	Ex Stock	Ex Stock
Medium	NLAM50	140 x 140	50	552	10.82	51	1136	Void	Ex Stock	-	MTO	Ex Stock	Ex Stock
Large	NLAL50	210 x 140	50	368	10.82	34	1118	Void	Ex Stock	-	МТО	Ex Stock	Ex Stock
60MM SIN	IGLE SIZE PAG	CKS											
Small	NLAS60	105 x 140	60	702	10.32	68	1300	Void	Ex Stock	Ex Stock	Ex Stock	Ex Stock	Ex Stock
Medium	NLAM60	140 x 140	60	528	10.35	51	1300	Void	Ex Stock	Ex Stock	Ex Stock	Ex Stock	Ex Stock
Large	NLAL60	210 x 140	60	352	10.35	34	1300	Void	Ex Stock	Ex Stock	Ex Stock	Ex Stock	Ex Stock
80MM SIN	IGLE SIZE PAG	CKS											
Small	NLAS80	105 x 140	80	510	7.50	68	1174	Void	Ex Stock	Ex Stock	Ex Stock	Ex Stock	Ex Stock
Medium	NLAM80	140 x 140	80	384	7.53	51	1162	Void	Ex Stock	Ex Stock	Ex Stock	Ex Stock	Ex Stock
Large	NLAL80	210 x 140	80	256	7.53	34	1174	Void	Ex Stock	Ex Stock	Ex Stock	Ex Stock	Ex Stock

32

















## Alpha TRIO paving





P.69 P.72 & 77

#### Description

Containing small, medium and large blocks, Alpha TRIO modular parting packs make it easy to create the appearance of a traditional, aged surface - while helping to reduce waste.

#### **Application**

Alpha TRIO paving is suitable for most residential applications.



#### Notes:

Brett Alpha TRIO pavements should be designed and constructed in accordance with the requirements of BS 7533.

\* Add colour references (AG, BR etc.) to complete product codes.









Į.	Description			. per mixed size p	ack	Pack wt	Pack	Colour/Availability			
Product	Product code*	m² per pack	Large 210 x 140mm	Medium 140 x 140mm	Small 105 x 140mm	max kg	type	Autumn Gold (AG)	Brindle (BR)	Silver Haze (SH)	
50mm Mixed size TRIO pack	NLATV50	10.82	184	180	128	1167	Void	Ex Stock	Ex Stock	Ex Stock	
60mm Mixed size TRIO pack	NLATV60	8.94	152	150	104	1160	Void	Ex Stock	Ex Stock	Ex Stock	

33

## Alpha circle











P.69 P.72 & 77











Featuring a tumbled surface to create the appearance of a traditional surface, Brett Alpha Circle pature packs create circles up to a diameter of 2.95m.

#### Application

Alpha Circles are suitable for most residential applications.


#### Notes:

Brett Alpha Circles can be expanded indefinitely using Alpha Small units. Brett Alpha Circles should be designed and constructed in accordance with the requirements of BS 7533.

Please note: Our Circle Kits are individual features designed to complement the paving within the same product range and not to match.

\* Add colour references (AG, CL etc.) to complete product codes.





	Description			No. per	m² per	Pack wt	Pack	Colour/Availability			
Product	Product code*	Dia. m	Thickness mm	pack	pack	max kg	type	Autumn Gold (AG)	Charcoal (CL)	Silver Haze (SH)	
60mm Circle pack	ACLX60	2950	60	464	6.84	920	Pallet	мто	МТО	мто	

P.32

P.33

P.71 P.72 & 77

Concrete Block Paving

#### Description

Brett Alpha Flow permeable paving with tumbled edges features an intering spacer nib, ensuring that causet joint spacing and high permeability are achieved, while also providing an aesthetically pleasing solution for a wide variety of environments.

#### Application

Alpha Flow is suitable for most permeable paving applications, ranging from small propestic and residential projects, to large urban and commercial installations.

#### Notes:

Brett Alpha Flow pavements should be designed and constructed in accordance with the requirements of BS 7533.









				1100010	<u> </u>						
	Description		Thickness	No.per	m² per	١		ا ا		Colour/Availability	<b>y</b>
Product	Product code*	Plan size mm	mm	pack pack	No.per m²	Pack wt max kg	Pack type	Autumn Gold (AG)	Brindle (BR)	Charcoal (CL)	
60MM SINGLE SIZE PACKS											
Small	NLAFS60	105 x 140	60	702	10.32	68	1230	Void	Ex Stock	Ex Stock	Ex Stock
Medium	NLAFM60	140 x 140	60	528	10.35	51	1260	Void	Ex Stock	Ex Stock	Ex Stock
Large	NLAFL60	210 x 140	60	352	10.35	34	1260	Void	Ex Stock	Ex Stock	Ex Stock
80MM SING	LE SIZE PACKS	5									
Small	NLAFS80	105 x 140	80	510	7.50	68	1200	Void	Ex Stock	Ex Stock	Ex Stock
Medium	NLAFM80	140 x 140	80	384	7.53	51	1220	Void	Ex Stock	Ex Stock	Ex Stock
Large	NLAFL80	210 x 140	80	256	7.53	34	1220	Void	Ex Stock	Ex Stock	Ex Stock
Large	IVEALEGO	210 X 140	00	250	1.55	54	1220	void	LX Stock	LX Stock	LX Stock

Add colour references (AG, BR etc.) to complete product codes.

## Aura paving





P.69







Concrete Block Paving

Aura

35

#### Description

Ideal for creating an historic cobbled-street style, Brett Aura's tumbled, riven surface provides a naturally variable aesthetic, while its exposed aggregate creates a distinctive sparkle, reminiscent of a traditional granite sett.

#### **Application**

Brett Aura is suitable for most high-quality domestic and residential applications.

#### Notes:

Brett Aura pavements should be designed and constructed in accordance with the requirements of BS 7533. Due to the shape of the blocks, the joints are larger than normal and so should be brushed in with chippings followed by jointing sand. Aura is not classified as a permeable paving block.

 \* Add colour references (BZ, SV etc.) to complete product codes.







3		Description			No. per	m² per	No. per	Pack wt	Pack	Colour/Availability		
3	Product	Product code*	Plan size mm	Thickness mm	pack	pack	m²	max kg	type	Bronze Fleck (BZ)	Silver Fleck (SV)	
	Square stone	AU60SQ	114 x 114	60	539	7.01	77	868	Pallet	Ex Stock	Ex Stock	
	Stone	AU60S	171 x 114	60	385	7.50	51	970	Pallet	Ex Stock	Ex Stock	











# Description

Featuring clean lines and flat surfaces with minimal edge chamfers, Brett Beta Paving provides a smooth, hardwearing block paving surface.

Beta paving

### **Application**

Brett Beta is suitable for a wide variety of designs in both domestic and commercial environments. Its minimal edge chamfer detail is particularly useful for retail parking applications, due to the flat surface that can be created.

#### Notes:

Please do not mix the same colour in Beta with Beta TRIO. Brett Beta pavements should be designed and constructed in accordance with the requirements of BS 7533.

\* Add colour references (AG, BR etc.) to complete product codes.



3	Description				,	.,				С	olour/Availabili	ty	
Product	Product code*	Plan size mm	Thickness mm	No.per pack	m² per pack	No.per m²	Pack wt max kg	Pack type	Autumn Gold (AG)	Brindle (BR)	Burnt Oak (BO)	Charcoal (CL)	Silver Haze (SH)
60MM													
Small	BS60	105 x 140	60	672	9.88	68	1243	Pallet	Ex Stock	Ex Stock	Ex Stock	Ex Stock	Ex Stock
Medium	BM60	140 x 140	60	504	9.88	51	1310	Pallet	Ex Stock	Ex Stock	Ex Stock	Ex Stock	Ex Stock
Large	BL60	210 x 140	60	344	10.12	34	1342	Void	Ex Stock	Ex Stock	Ex Stock	Ex Stock	Ex Stock
80MM													
Small	BS80	105 x 140	80	432	6.35	68	1003	Pallet	MTO	MTO	МТО	MTO	MTO
Medium	BM80	140 x 140	80	324	6.35	51	1009	Pallet	MTO	MTO	МТО	MTO	MTO
Large	BL80	210 x 140	80	232	6.62	34	1100	Void	Ex Stock	Ex Stock	Ex Stock	Ex Stock	Ex Stock

# Beta TRIO paving





No. per mixed size pac

150







1232

Pallet

9.41

Concrete Block Paving

Ex Stock

MTO

Ex Stock

Beta TRIO

37

## Description

Brett Beta TRIO ranges come in mixed-size packs, helping to reduce waste, and feature the signature Beta minimal edge chamfer a smooth, hardwearing block paving surface.

# **Application**

Brett TRIO is suitable for most residential applications.



Please do not mix the same colour in Beta TRIO with Beta. Brett Beta TRIO pavements should be designed and constructed in accordance with the requirements of BS 7533.

\* Add colour references (AG, RB etc.) to complete product codes.



BETP60--

(Poole)







ш.								Do-do-m	Do Is		,	
		Product code*	Thickness mm	Large 210 x 140mm	Medium 140 x 140mm	Small 105 x 140mm	m² per pack	Pack wt max kg	Pack type	Autumn Gold (AG)	Rustic Bronze (RB)	Silver Haze (SH)
	Beta TRIO (Barrow)	BETB60	60	156	156	104	9.20	1204	Pallet	Ex Stock	МТО	Ex Stock
	Beta TRIO (Cliffe)	BETC60	60	180	180	120	10.58	1383	Pallet	Ex Stock	МТО	Ex Stock

104

# Beta circle











Concrete Block Paving

Beta Circle

38

Description

A feature pack with a minimal chamfer, allowing the creation of a smooth surface, Brettosen Circles can create a circle with a diameter of up to 2.95m.

# **Application**


Beta Circles are suitable for most residential applications. Their smooth surface makes them ideal for bikes, buggies and wheelchair

Notes:	

Please do not mix the same colour in Beta TRIO with Beta. Brett Beta TRIO pavements should be designed and constructed in accordance with the requirements of BS 7533.

\* Add colour references (SH) to complete product codes.





Ì		Description		Thickness	No. per	m² per	Pack wt	Pack	Colour/Availability
ð	Product	Product code*	Dia. <del>-</del> n	mm	pack	pack	max kg	type	Silver Haze (SH)
	60mm Circle pack	BCLX60	2950	60	464	6.84	938	Pallet	мто

# **Delta** paving











Designed to complement the popular Omega range, Brett Delta paving has been designed around the same 2:1 ratio, but with a 76% greater surface area. The result is fewer joints, faster coverage, and fresh, modern looks.

# **Application**

Delta is suited to most domestic applications, and can easily be combined with Omega 50 to create a wide range of patterns.

#### Notes:

Brett Delta pavements should be designed and constructed in accordance with the requirements of BS 7533.

Add colour references (AG, BR etc.) to complete product codes.









	Description	· · · · · · · · · · · · · · · · · · ·	IThickness No. per		m² per	No.per	Pack wt	Pack		Colour/Availability	/
Product	Product code*	Plan size mm	min	pack	pack	m <sup>2</sup>	max kg	type	Autumn Gold (AG)	Brindle (BR)	Silver Haze (SH)
Delta (Barrow)	DLBV50	266 x 133	50	276	9.77	29	1083	Void	мто	мто	МТО
Delta (Cliffe)	DLCV50	266 x 133	50	276	9.77	29	1100	Void	Ex Stock	Ex Stock	Ex Stock
Delta (Poole)	DLP50	266 x 133	50	288	10.19	29	1140	Pallet	МТО	МТО	МТО





Concrete Block Paving

Invicta

40

#### Description

Invicta premium block paving, our innovative flagship product, uses a unique combination of natural aggregates on the top-surface to create a hard wearing, long lasting paving solution whilst offering a stunning vibrant finish with a hint of sparkle. Invicta is available in four complementary colours and both traditional and contemporary plan sizes, making this versatile product suitable for most projects.

# Application

Suitable for most applications, Invicta is equally appropriate for small domestic and residential projects as it is for large urban commercial jobs.


#### Notes:

Brett Invicta pavements should be designed and constructed in accordance with the requirements of BS 7533.

Add colour references (Cl. MO etc.) to complete product codes.











	Description		Thickness	No.per	m <sup>2</sup> per	No.per	Pack wt	Pack		Colour/A	vailability				
Product	Product code*	Plan size mm	mm	pack	pack	m <sup>2</sup>	max kg	type	Citrine (CI)	Moonstone (MO)	Onyx (ON)	Pearl (PE)			
60MM SIN	60MM SINGLE SIZE PACKS														
	IN2160	200 x 100		432	8.64	50	1300		MTO	Ex Stock	Ex Stock	Ex Stock			
	INL60	210 x 140	60	288	8.46	34	1200	Pallet	MTO	Ex Stock	Ex Stock	Ex Stock			
	IN3160	300 x 100		288	8.64	33/2000	1300	Fallet	MTO	Ex Stock	Ex Stock	Ex Stock			
80MM SIN	GLE SIZE PACK	S				700	<b>30</b> 00								
	IN6280	600 x 200		56		8.3	3328		Ex Stock	Ex Stock	Ex Stock	Ex Stock			
	IN2180	200 x 100		336		50	1327	Pallet	Ex Stock	Ex Stock	Ex Stock	Ex Stock			
	IN2280	200 x 200	80	168	6.72	25	1327		Ex Stock	Ex Stock	Ex Stock	Ex Stock			
	IN3280	300 x 200		112		16.66	1328		Ex Stock	Ex Stock	Ex Stock	Ex Stock			
	IN3180	300 x 100		224		33.33	1327		Ex Stock	Ex Stock	Ex Stock	Ex Stock			

	Description		No.	per mixed size p	oack	m <sup>2</sup> per	Dook wit	Pack	Colour/Availability			
Product	Product code*	Thickness mm	Large mm 210 x 140	Medium mm 140 x 140	Small mm 105 x 140	pack	Pack wt max kg	type	Citrine (CI)	Moonstone (MO)	Onyx (ON)	Pearl (PE)
INVICTA TR	IO (Cliffe)											
	INT60	60	162	162	108	9.53	1410	Pallet	MTO	Ex Stock	Ex Stock	Ex Stock





P.42

Description

Invicta Flow provides the same high-end aesthetic and performance as our Invicta range, whilst also integrating a unique nib design for a innovative permeable paving solution with sustainable drainage. You won't have to sacrifice aesthetic beauty for practicality either, as Invicta Flow provides a captivating finish, with its distinguishing sparkle, premium texturing, and alluring colour options.

Invicta Flow paving

# **Application**

Invicta Flow is suitable for most permeable paving applications, and is particularly suited to large urban and commercial installations.

#### Notes:

Brett Invicta Flow pavements should be designed and constructed in accordance with the requirements of BS 7533.

Add colour references (CI, MO etc.) to complete product codes.











	Description		Thickness	No.per	m² per	Molecur	Developed	Pack		Colour/A	vailability	
Product	Product code*	Plan size mm	mm	pack	pack	m²	Pack wt max kg	type	Citrine (CI)	Moonstone (MO)	Onyx (ON)	Pearl (PE)
INVICTA FL	.OW											
	INF2160	200 x 100	60	288	8.64	50	1300	Pallet	MTO	MTO	MTO	МТО
II	INF2180	200 x 100	80	336	6.72	50	1266	, and	МТО	МТО	МТО	МТО

MAN

# Lugano paving









P.44

Description

A distinctive range of granite aggregate block paving, Brett Lugano provides a fully integrated solution to designers looking to create cool, contemporary spaces.

# **Application**

Suitable for most applications, Lugano is equally appropriate for small domestic and residential projects as it is for large urban commercial jobs.

#### Notes:

Brett Lugano pavements should be designed and constructed in accordance with the requirements of BS 7533.

- \* Add colour references (GG, MG, etc.) to complete product codes.
- Rosa available spring 2023.









	Description		Thistory	No	2	No	De elema	Deeds	С	olour/Availabilit	у		
Product	Product code*	Plan size mm	Thickness mm	No.per pack	m² per pack	No.per m²	Pack wt max kg	Pack type	Graphite Grey (GG)	Misty Grey (MG)	Rosa (RO)		
80MM SINGLE SIZE PACKS (Poole)													
Small	LUS80	105 x 140		420	6.17	68	1172		MTO	MTO	-		
Medium	LUM80	140 x 140	80	336	6.59	51	1250	Pallet	MTO	MTO	-		
Large	LUL80	210 x 140		224	6.59	34	1250		Ex Stock	Ex Stock	-		
80MM SING	SLE SIZE PACKS	(Cliffe)											
Small	LUC2180	200 x 100		336		50	1327		MTO	MTO	MTO		
Medium	LUC3280	300 x 200	80	112 56	6.72	16.66	1328	Pallet	MTO	MTO	MTO		
Large	LUC6280	600 x 200				8.33	1328		MTO	MTO	MTO		

# Lugano TRIO paving













# Description

Designed with a varying texture to give your driveway the look and feel of natural granite, Brett Lugano block paving is the perfect accompaniment to a wide range of property styles.

## **Application**

Suitable for most applications, Lugano TRIO is equally appropriate for small domestic and residential projects as it is for large urban commercial jobs.

#### Notes:

Brett Lugano TRIO pavements should be designed and constructed in accordance with the requirements of BS 7533.

- Add colour references (GG, MG, etc.) to complete product codes.
- Rosa available spring 2023.









	Description		Thickness	No.per	m² per	No.per	Pack wt	Pack	С	olour/Availabilit	y .	
Product	Product code*	Plan size mm	mm	pack	m- per pack	m <sup>2</sup>	max kg	type	Graphite Grey (GG)	Misty Grey (MG)	Rosa (RO)	
60MM MIXED	TRIO PACKS (	Poole)				•						
Small		105 x 140		108								
Medium	LUT60	140 x 140	60	108	8.47	N/A	1139	Pallet	Ex Stock	Ex Stock	-	
Large		210 x 140 (Cliffe)		162								
60MM MIXED TRIO PACKS (Cliffe)												
Small		105 x 140		108								
Medium	LUTC60	140 x 140	60	162	9.53	N/A	1410	Pallet	Ex Stock	Ex Stock	MTO	
Large		210 x 140		162								
80MM MIXE	D TRIO PACKS	(Cliffe)										
Small		105 x 140		108								
Medium	LUTC80	140 x 140	80	162	7.41	N/A	1460	Pallet	MTO	MTO	MTO	
Large		210 x 140		162		11//	1.00					

# Lugano Flow paving















# Description

With the distinctive tones and texture of our popular Lugano range combined with our unique nib design which allows surface water to drain between the blocks. Lugano Flow is the perfect choice to help avoid everyday flooding and excess surface water by releasing it back into the environment in a controlled, sustainable way.

### Application

Lugano Flow is suitable for most permeable paving applications, and is particularly suited to large urban and commercial installations

#### Notes:

Brett Lugano pavements should be designed and constructed in accordance with the requirements of BS 7533.

- \* Add colour references (GG, MG) to complete product codes.
- Rosa available spring 2023.









	Description		Thickness	No	2	No. per	Pack wt	Pack	С	olour/Availabilit	ty			
Product	Product code*	Plan size mm	mm	No. per pack	m² per pack	m <sup>2</sup>	max kg	type	Graphite Grey (GG)	Misty Grey (MG)	Rosa (RO)			
60mm Single	60mm Single Size Packs (Cliffe)													
	LFC60	200 x 100	60	432	8.64	50	1300	Pallet	MTO	MTO	MTO			
80mm Single	Size Packs (Cli	ffe)												
	LFC80	200 x 100	80	336	6.72	50	1266	Pallet	MTO	MTO	MTO			
80mm Single Size Packs (Poole)														
	LF80	200 x 100	80	308	6.16	50	1102	Void	Ex Stock	Ex Stock	-			









Brett Omega paving is the classic rectangular concrete block paver that remains the UK's most popular format.

Omega paving

### **Application**

Omega paving is designed to be laid in various patterns, including 45° and 90° herringbone and the range of thicknesses available up to 80mm makes it suitable for virtually all paving applications.

#### Notes:

Brett Omega 50mm can be combined with Delta to provide excellent pattern options. Brett Omega pavements should be designed and constructed in accordance with the requirements of BS 7533.

Add colour references (AG, BR etc.) to complete product codes.



	Description	n	Thiston	NI	?	N	Do altrosa	Pack				Colour/A	vailability			
Product	Product code*	Plan size mm	Thickness mm	pack	m² per pack	m <sup>2</sup>	Pack wt max kg	type	Autumn Gold (AG)	Brindle (BR)	Buff (BF)	Burnt Oak (BO)	Charcoal (CL)	Natural (GY)	Red (RD)	Silver Haze (SH)
Omega 50mm	OM50	200 x 100	50	488	9.76	50	1074	Void	Ex Stock	Ex Stock	Ex Stock	Ex Stock	Ex Stock	Ex Stock	Ex Stock	Ex Stock
Omega 60mm	OM60	200 x 100	60	404	8.08	50	1090	Void	Ex Stock	Ex Stock	МТО	Ex Stock	Ex Stock	Ex Stock	МТО	Ex Stock
Omega 80mm	OM80	200 x 100	80	308	6.16	50	1097	Void	Ex Stock	Ex Stock	МТО	Ex Stock	Ex Stock	Ex Stock	МТО	МТО







Concrete Block Paving

# Description

Brett Omega Flow features a classic rectangular block profile and purpose-designed nibs for correct spacing and enhanced permeability.

Omega Flow paving

## **Application**

Omega Flow's contemporary, clean style will complement most environments and has been designed for use in either hand or machine lay applications.

#### Notes:

Brett Omega Flow pavements should be designed and constructed in accordance with the requirements of BS 7533.

Add colour references (AG, BR etc.) to complete product codes.



De	escription		Thickness	No. per	m² per	No. per	Pack wt	Pack		C	olour/Availabil	ity	
Product	Product code*	Plan size mm	mm	pack	pack	m <sup>2</sup>	max kg	type	Autumn Gold (AG)	Brindle (BR)	Burnt Oak (BO)	Charcoal (CL)	Natural (GY)
Omega Flow	OF60	200 x 100	60	404	8.08	50	1015	Void	МТО	Ex Stock	МТО	Ex Stock	Ex Stock
Omega Flow	OF80	200 x 100	80	308	6.16	50	1090	Void	МТО	Ex Stock	МТО	Ex Stock	Ex Stock

# Omega Pencil Edge paving













Concrete Block Paving

# Description

Brett Omega Pencil Edge paving is the classic rectangular concrete block paver that remains the UK's most popular format, but with a minimal edge chamfer to create a smoother surface.

## Application

Omega Pencil Edge is suitable for a wide range of applications in both domestic and commercial projects. Its reduced chamfer edge detail creates a smoother surface, ideal for bikes, wheelchairs, buggies and supermarket trollies.

#### Notes:

Brett Omega Pencil Edge pavements should be designed and constructed in accordance with the requirements of BS 7533.

\* Add colour references (BR, CL) to complete product codes.





	Description		Thickness	No	m² per	No. per	Pack wt	Pack	Colour/A	vailability
Product	Product code*	Plan size mm	mm	No. per pack	m- per pack	m <sup>2</sup>	max kg	type	Brindle (BR)	Charcoal (CL)
Omega Pencil Edge 60mm	OP60	200 x 100	60	404	8.08	50	1090	Void	МТО	МТО
Omega Pencil Edge 80mm	OP80	200 x 100	80	308	6.16	50	1097	Void	МТО	МТО







P.69









### Description

Taking the classic rectangular block paving profile and enhancing it with a distressed surface, Brett Omega Tumbled creates the appearance of a traditional aged pavement.

Omega Tumbled paving

# **Application**

Ideal for trafficked, urban and residential areas, Omega Tumbled can be installed in a wide range of patterns including classic herringbone, and orings an aged aesthetic to an piciect.

#### Notes:

Brett Omega Tumbled pavements should be designed and constructed in accordance with the requirements of BS 7533.

\* Add colour references (BR, RB etc.) to complete product codes.









	nega OT80		Thickness	No. per	?	No. per	Pack wt Pack	DI-		Colour/Availability		
Product		Plan size mm	mm	pack	m² per pack	m <sup>2</sup>	max kg	type	Brindle (BR)	Rustic Bronze (RB)	Silver Haze (SH)	
Omega Tumbled 80mm	OT80	200 x 100	80	308	6.16	50	1097	Void	мто	МТО	мто	







# Regatta TRIO paving









Concrete Block Paving

#### Description

A riven set-style paving, Regatta TRIO is designed to give a subtle surface texture reminiscent of traditional cobble paving. TRIO packs combine small, medium and large blocks in a pre-defined pack for quick and easy installation.

# **Application**

Regatta Trio is suitable for most residential applications.

#### Notes:

Brett Regatta TRIO pavements should be designed and constructed in accordance with the requirements of BS 7533.

\* Add colour references (AG, SH) to complete product codes.







3		Description			per mixed size p	ack	m² per	Pack wt	Pack	Colour/A	vailability
3	Product	Product code*	Thickness mm	Large 200 x 133mm	Medium 133 x 133mm	Small 100 x 133mm	pack	max kg	type	Autumn Gold (AG)	Silver Haze (SH)
	Regatta TRIO (Barrow)	RGTB60	60	156	156	104	8.32	1090	Pallet	Ex Stock	Ex Stock
	Regatta TRIO (Cliffe)	RGTC60	60	162	162	108	8.64	1120	Pallet	Ex Stock	Ex Stock
	Regatta TRIO (Poole)	RGTP60	60	180	120	120	8.50	1106	Pallet	Ex Stock	Ex Stock

# Regatta circle











Description

A feature pack with a lightly riven surface, Brett Regatta Circle creates circles up to a diameter of 2.95m.

### **Application**


Regatta Circle is suitable for most residential applications.

#### Notes:

Brett Regatta Circle should be designed and constructed in accordance with the requirements of BS 7533.

\* Add colour references (SH) to complete product codes.





	Description		Thickness	No. per	2	Pack wt	Pack	Colour/Availability
Product	Product code*	Diameter mm	mm	pack	m² per pack	max kg	type	Silver Haze (SH)
Regatta Circle pack	RCLX60	2950	60	495	6.84	925	Pallet	мто

Concrete Block Paving

P.69

P.73-73

### Description

Designed to provide the greatest possible interlock between blocks, Brett Zeta Lock paving blocks' sixteen-sided design offers maximum pavement rigidity.

Zeta Lock commercial paving

## **Application**

Zeta Lock is ideal for use in heavily trafficked areas and larger commercial applications, such as ports, container yards and airports.

#### Notes:

Brett Zeta Lock includes specially designed closure packs to help minimise on-site cutting. Zeta Lock pavements should be designed and constructed in accordance with the requirements of BS 7533.

\* Add colour references (CL, GY) to complete product codes.







	Description		Thickness	N	m² per	N	Pack wt	Pack	Colour/A	vailability
Product	Product code*	Plan size mm	mm	No.per pack	m- per pack	No.per m²	max kg	type	Charcoal (CL)	Natural (GY)
Standard	ZL80	205 x 102.5	80	308	6.42	48	1067	Pallet	МТО	МТО
CLOSURE PAG	CKS									
Large blocks	ZLLCP80GY	205 x 102.5	80	190	10.08	N/A	1650	Pallet	мто	MTO
Small blocks	ZLLCP80G1	102.5 x 102.5	80	580	10.06	N/A	1000	Pallet	MIO	MIO

# **Machine Lay Paving**

## Description

Our Machine Lay offer is a method of packing our most popular commercial block paving products to allow them to be installed by machine, direct from the pack. These packs are 'MTO' items. For more details please contact us on **0345 60 80 577**.

# **Application**

Brett Machine Lay packs are designed for larger commercial and infrastructure projects, such as ports, container yards and larger car parks.

#### Notes:

All Brett Machine Lay products should be designed and installed in accordance with BS 7533.

### Omega, Omega Flow & Zeta Lock '64 Block Clusters'

The 64 Block Cluster is suitable for any for a constant of block like Omega, Omega Flow and Zeta Lock. Cluster is a lock in the actual block size. The constant of the actual block size is a constant of the constant of the



#### Alpha 'Mixed Clusters'

Alpha Clusters arrive in a rectangular formation. The installation grab (right) shifts the rows upon clamping and turns them into the jigsaw shape to complete a perfect random stretcher course pattern.



+		- :	133	0 —	_	<b>→</b>
	М	L	S	L	М	L
L	L	S	L	M I	- ]	M -
→ I	_ M	М	L	L	S	L
L	М	L	SI	. L	-	M <del>-</del>
M	L	М	L	S	L	L
L	L	М	SL	. M	L	



	Description		Thickness	No.per	m² per	Cluster size	Pack wt	Pack	Colour/Availability
Product	Product code*	Plan size mm	mm	pack	m-per pack	mm	max kg	type	Any colour
Alpha Mixed Cluster	NLAA80MLS	Mixed	80	294	7.20	1225 x 840	1254	Pallet	MTO
Omega 64 Cluster	OM80ML64	200 x 100	80	384	7.68	1273 x 1202	1363	Pallet	MTO
Omega Flow Cluster	OF80ML64	215 x 115	80	384	7.68	1273 x 1202	1313	Pallet	MTO
Zeta Lock 64 Cluster	ZL80ML64	205 x 102.5	80	384	8.00	1300 x 1228	1360	Pallet	MTO

# Concrete Flag Paving







#### **CONTENTS**

55 British Standard

56 Broadway Economy

57 Bronte Paving

58 Bronte Circles

59 Canterbury

60 Chaucer

61 Meltone

62 Querndo

63 Stamford

4 Stamford Ultra

5-66 Tactile

67 Yorktone



# **British Standard** paving



Concrete Flag Paving

British Standard

D 65

# Description

A durable, cost effective integrated flag and kerb range which complies with British Standards, these products are compatible with most other Brett flag and kerb ranges.

#### Application

Brett British Standard paving is suitable for a wide range of applications, though it is commonly used as part of commercial projects.

#### Notes:

Brett British Standard pavements should be designed and constructed in accordance with the requirements of BS 7533.

Other sizes are available on request.

Coverage figures assume a narrow joint is used.

 Add colour reference (GY) to complete product codes.





							Pack wt	Pack	
							max kg		Natural (GY)
В	SPB50	600 x 600	50	20	7.20	2.78	846	Grab pack	MTO
Е	SPE50	450 x 450	50	40	8.10	4.94	952	Grab pack	MTO



# Description

Brett Broadway Economy paving is a modular, wet-pressed paving flag, and is available in a riven and smooth finish and in a range of colour options.

**Broadway Economy** paving

### Application

Broadway Economy is ideally suited to utility areas in domestic applications.

#### Notes:

Brett Broadway Economy pavements should be designed and constructed in accordance with the requirements of BS 7533.

Coverage figures assume a narrow joint is used.

\* Add colour references (BF, GY) to complete product codes.











							Pack wt	Pack		
							max kg			
Riven	BER00-	600 x 600	32	30	11.16	2.69	840	Pallet	Ex Stock	Ex Stock
Riven	BER03	450 x 450	32	60	12.70	4.73	925	Pallet	Ex Stock	Ex Stock
Smooth	BES00	600x600	32	30	11.16	2.69	840	Grab	МТО	МТО
Smooth	BES03	450x450	32	60	12.7	4.73	925	Grab	МТО	МТО

# **Bronte** paving













# Description

Featuring a riven surface and natural colour tones, Brett Bronte is a traditional, wet-cast paving flag that enhances the character and texture of outdoor projects.

# **Application**

Brett Bronte is suited for use in a variety of domestic garden and patio applications, and offers a complete garden solution with its wide range of accessories.

#### Notes:

Brett Bronte pavements should be designed and constructed in accordance with the requirements of BS 7533.

Coverage figures assume a nominal 10mm joint.

Add colour references (AB, WB etc.) to complete product codes.









	SIN	IGLE SIZE PAC	CKS	Thisbassa	Ma asa	2	No. see	Dealess	Darah			
												Weathered Stone (WS)
	В	BR0032	600 x 600	32	32	11.91	2.69	798	Pallet	Ex Stock	Ex Stock	Ex Stock
=	Н	BR0232	600 x 300	32	64	12.10	5.29	832	Pallet	Ex Stock	Ex Stock	Ex Stock
{	Е	BR0332	450 x 450	32	64	13.54	4.73	897	Pallet	Ex Stock	Ex Stock	Ex Stock
	G	BR0532	300 x 300	32	64	6.15	10.41	392	Pallet	Ex Stock	Ex Stock	Ex Stock

						Pack wt	Pack			
						max kg				Weathered Stone (WS)
В	BRPP32	600 x 600	32	7	7.61	507	Pallet	Ex Stock	Ex Stock	Ex Stock
Α	BRPP32	600 x 450	32	8	7.61	507	Pallet	Ex Stock	Ex Stock	Ex Stock
Н	BRPP32	600 x 300	32	6	7.61	507	Pallet	Ex Stock	Ex Stock	Ex Stock
Е	BRPP32	450 x 450	32	4	7.61	507	Pallet	Ex Stock	Ex Stock	Ex Stock
G	BRPP32	300 x 300	32	8	7.61	507	Pallet	Ex Stock	Ex Stock	Ex Stock

# **Bronte** circles













Concrete Flag Paving

#### Description

Designed to match Bronte Paving, Bronte Circle Packs are a traditional, wet-cast paving flag featuring a riven surface, natural colour tones and sloping edges.

#### Application

Available as Circle and Full Circle Corner Kits, Bronte Circle Packs can be used in a wide range of residential garden and patio applications.

#### Notes:

Brett Bronte pavements should be designed and constructed in accordance with the requirements of BS 7533.

Coverage figures assume a nominal 10mm joint.

Add colour references (AB, WB etc.) to complete product codes.



# 1.8m Full Circle Full Circle Corner Kit 1.8m 1.8m 2.1m

					m² per pack						
Flag						max kg				Weathered Stone (WS)	
1			32	4							
2	Full Circle Kit (1.8m)	BRFC32	32	12	2.69	182	Pallet	Ex Stock	Ex Stock	Ex Stock	
3	100 (2.011)		32	20							
6	Full Circle Corner Kit (1.8m)	BRFCCP	32	4 Corners	2.02	133	Pallet	Ex Stock	Ex Stock	Ex Stock	

#### Description

Brett Canterbury wet-cast paving flags feature a freshly-quarried riven surface and dressed edges to create a timeless appearance. Canterbury is available in a collection of three sympathetic regional stone colours, allowing it to complement most outdoor spaces.

# **Application**

Canterbury paving can be used in a variety of domestic garden and patio applications

#### Notes:

Canterbury pavements should be designed and constructed in accordance with the requirements of BS 7533.

Coverage figures assume a nominal 10mm joint.

 \* Add colour references (MA, OC etc.) to complete product codes.









H B G B	↑ H H H + + + + + + + + + + + + + + + +
2.45m	



						Pack wt				
						max kg				
В		600 x 600		9						
Н	CP3SPP32	600 x 300	32	8	5.63	420	Pallet	Ex Stock	Ex Stock	Ex Stock
G		300 x 300		8						

# Chaucer paving



### Description

Brett Chaucer modular, wetpressed paving flags feature a textured surface and straight edges for a fresh, contemporary finish.

# **Application**

Chaucer is suited to creating attractive, practical domestic patio areas, and is available in three popular colours and two sizes for maximum design flexibility. Due to its straight edges, Chaucer paving can be laid narrow-jointed for a more defined finish.

#### Notes:

Brett Chaucer pavements should be designed and constructed in accordance with the requirements of BS 7533.

Coverage figures assume a nominal 10mm joint.

\* Add colour references (BF, CL etc.) to complete product codes.









							Pack wt				
							max kg				
В	CUBL35	600 x 600	35	30	11.16	2.69	888	Pallet	Ex Stock	Ex Stock	Ex Stock
Е	CUEL32	450 x 450	32	60	12.70	4.73	914	Pallet	Ex Stock	Ex Stock	Ex Stock

or (

# Meltone paving





Concrete Flag Paving

Meltone

3 P.83

### Description

A hardwearing granite-styled, wet-pressed paving flag, Brett Meltone features a finely textured surface and straight edges, making it the ideal choice for designers looking to create a contemporary aesthetic.

#### Application

Meltone paving is suitable for a wide range of applications, offering a slip-resistant solution for urban commercial and domestic projects alike.

#### Notes:

Brett Meltone pavements should be designed and constructed in accordance with the requirements of BS 7533.

Garden paving coverage figures assume a nominal 10mm joint.

\* Add colour reference (FL) to complete product codes.







			Thickness	Name	m² per		Pack wt	Death	
Product							max kg		
GARDEN PAVI	NG								
Meltone	MTE32	450 x 450	32	56	11.85	4.73	878	Pallet	MTO
Meltone	MTB35	600 x 600	35	26	9.68	2.69	795	Pallet	MTO
COMMERCIAL	PAVING								
	MTE50	450 x 450	50	40	8.10	4.94	960	Pallet	MTO
	MTH50	600 x 300	50	20	3.60	5.56	423	Pallet	MTO
Meltone	MTA50	600 x 450	50	20	5.40	3.70	640	Pallet	MTO
	MTB50	600 x 600	50	20	7.20	2.78	840	Pallet	MTO
	MTF65	400 x 400	65	30	4.80	6.25	733	Pallet	МТО



#### Description

Featuring a gently riven surface and colour variations, Brett Quorndon modular, wet-press paving flags provide excellent durability characteristics, and are designed with a slight edge chamfer.

**Quorndon** paving

### Application

Brett Quorndon is well-suited to installation in domestic utility areas, as well as wider housebuilder and commercial projects which are subjected to foot traffic only.

#### Notes:

Brett Quorndon pavements should be designed and constructed in accordance with the requirements of BS 7533.

Coverage figures will vary depending upon jointing method. Printed figures assume a nominal 10mm joint.

Add colour reference (BF, GY) to complete product codes.





							Pack wt	Pack		
							max kg			
В	QPB35	600 x 600	35	26	9.67	2.69	770	Pallet	Ex Stock	Ex Stock
Н	QPH35	600 x 300	35	26	4.91	5.29	385	Pallet	Ex Stock	Ex Stock
Е	QPE35	450 x 450	35	56	11.85	4.73	933	Pallet	Ex Stock	Ex Stock

Offering eye-catching style with its detailed riven surface and sloping edges, Brett Stamford paving is a traditional wet-cast utility paving flag.

# Application

Stamford paving is suited to a variety of domestic patio, path and utility applications. Its sharp edge detail lends itself to being laid with narrow joints, which also maximises the speed and ease of installation.

#### Notes:

Brett Stamford pavements should be designed and constructed in accordance with the requirements of BS 7533.

Coverage figures assume a nominal 10mm joint.

\* Add colour reference (BF, CL etc.) to complete product codes.









											Natural (GY)
В	ST0032	600 x 600	32	32	11.91	2.69	840	Pallet	Ex Stock	Ex Stock	Ex Stock
E	ST03	450 x 450	32	72	15.24	4.73	994	Pallet	Ex Stock	Ex Stock	Ex Stock



#### Description

Ideal for softer, more organic designs, Brett Stamford Ultra wet-cast utility paving flags feature a gently rippled surface texture and sloping edges.

# Application

Brett Stamford Ultra can be used in a wide range of domestic utility applications.

#### Notes:

Brett Stamford pavements should be designed and constructed in accordance with the requirements of BS 7533.

Coverage figures assume a nominal 10mm joint.

\* Add colour reference (BF, CL etc.) to complete product codes.









											Natural (GY)
E	SU03	450 x 450	32	72	15.24	4.73	994	Pallet	Ex Stock	Ex Stock	Ex Stock

# Tactile paving

## Description

The Brett Tactile range is a durable, wet-pressed paving flag with a tactile surface created for a specific application.

#### **Application**

The Brett Tactile range can be used in a variety of urban pavement applications. Please see the notes against each product type.

#### Notes:

Tactile pavements should be designed and constructed in accordance with the requirements of BS 7533, the Department of Transport publication 'Guidance on the use of Tactile Paving Surfaces' and BS 8300-1: 2018, 'Design of an accessible and inclusive built environment. External environment. Code of practice'. See colour table on page 65 for colour, size and thickness options.

#### Blister paving

For use at controlled and uncontrolled pedestrian crossing points.



# Hazard paving

Provides an unmistakable warning against potential hazards such as flights of steps or obstructions.



#### Directional paving

Identifies a safe pedestrian route, avoiding obstacles and hazards



#### Cycleway paving

Indicates the beginning of shared cycle/pedestrian routes. Denotes pedestrian paths when laid transversely and cycle paths when laid longitudinally.



#### Lozenge paving

Indicates that Light Rapid Transport (LRT) platform edge is approximately one pace away.



#### Barfaced paving

British Standard compliant, skid-resistant paving.



### Platform Edge paving

Indicates platform edge proximity. Ideal for use on surface or underground rail systems.



# Tactile paving

P.55

Concrete Flag Paving



#### Notes:

\* Add colour references (BF, GY etc.) to complete product codes.







							Pack wt	Pack			
							max kg				
Barfaced	BFB50	600 x 600	50	20	7.2	2.78	846	Grab	-	MTO	-
Blister	BPF50	400 x 400	50	36	5.76	6.25	677	Grab	Ex Stock	MTO	Ex Stock
Blister	BPE50	450 x 450	50	36	7.29	4.94	856	Grab	MTO	MTO	MTO
Blister	BPF6528	400 x 400	65	28	4.48	6.25	713	Grab	MTO	MTO	MTO
Blister	BPE70	450 x 450	70	26	5.27	4.94	866	Grab	MTO	MTO	MTO
Cycleway	CPF50	400 x 400	50	36	5.76	6.25	677	Grab	MTO	MTO	-
Directional	DPF50	400 x 400	50	36	5.76	6.25	677	Grab	MTO	MTO	-
Hazard	HPF50	400 x 400	50	36	5.76	6.25	700	Grab	Ex Stock	MTO	MTO
Hazard	HPF6528	400 x 400	65	28	4.48	6.25	685	Grab	MTO	MTO	-
Lozenge	LPF50	400 x 400	50	36	5.76	6.25	677	Grab	MTO	-	-
Platform	PPF50	400 x 400	50	36	5.76	6.25	677	Grab	MTO	-	-

### Description

Available with a textured finish, Brett Yorktone modular wetpressed flags feature straight edges, helping designers to create clean, modern landscapes.

## **Application**

Yorktone paving has a wide range of urban and commercial applications and is complemented by a matching portfolio of kerb products and accessories, for consistent, integrated designs (see page 84).

#### Notes:

Brett Yorktone pavements should be designed and constructed in accordance with the requirements of BS 7533.

Coverage figures assume a narrow joint is used.

\* Add colour references (BF, CL etc.) to complete product codes.










Product Process YKE Yorktone flag YKG							Pack wt	Pack			
Product							max kg				
	YKE50	450 x 450	50	40	8.10	4.94	960	Pallet	Ex Stock	Ex Stock	Ex Stock
Vauktana	YKH50	600 x 300	50	20	3.60	5.56	420	Pallet	MTO	MTO	MTO
	YKA50	600 x 450	50	20	5.40	3.70	640	Pallet	MTO	MTO	MTO
	YKB50	600 x 600	50	20	7.20	2.78	840	Pallet	Ex Stock	Ex Stock	Ex Stock
	YKF65	400 x 400	65	30	4.80	6.25	733	Pallet	MTO	MTO	MTO

# Accessories





# CONTENTS

- Dished Channels, Line
  Drains & Manhole Covers
- 70 Garden Edgings
- 71 Kiln Dried Sand & Permeable Chippings
- 72 Alpha & Drivestyle Kerb





- 73 High Kerb
- 74 Mobility Kerb
- 75 Omega Kerb
- 76 Transitions
- 77 Vintage Kerb
- 8 Radius Calculator
- 9 Stepping Stones
- Porcelain Walling & Accessories

# **Driveway Accessories**

### Description

Consisting of dished channels, line drains and manhole covers, Brett Driveway Accessories assist in managing drainage for most driveway projects.

### Application

Brett Driveway Accessories are designed chiefly for domestic driveway applications.


#### Notes:

Brett Manhole Covers are mild steel, manufactured to BS EN 10025, then galvanised to BS EN ISO 1461: 2009.

Brett Line Drains are manufactured to BS EN 1433: Class A 15.

 \* Add colour references (AG, BR etc.) to complete product codes.







De	escription		Thistones	No	Manan	Dealers	Deels		Colour/A	vailability	
Product	Product code*	Plan size mm	Thickness mm	No. per pack	No.per m²	Pack wt max kg	Pack type	Autumn Gold (AG)	Brindle (BR)	Burnt Oak (BO)	Charcoal (CL)
Dished Channels	DC60S	200 x 200	60	1	25	5	Singles	МТО	МТО	МТО	Ex Stock
Dished Channel Corners	DCC60S	200 x 200	60	1	-	5	Singles	МТО	мто	мто	Ex Stock
									Colour/A	vailability	
Line Drain Cap	LCAP	120 x 112	5	1	-	0.06	Singles	МТО	мто	МТО	MTO
Line Drain	LINEDR	1000 x 120	78	1	-	7	Singles	МТО	МТО	МТО	МТО
Recessed Manhole Cover	MN45CV	600 x 450	80	1	-	23	Singles	МТО	МТО	МТО	МТО

# **Garden Edgings**



### Description

Brett Garden Edgings are wetcast and pressed decorative units available in a wide range of styles to complement garden paving and aggregates.

# Application

Brett Garden Edgings are suitable for patio and garden applications, and are not suitable for commercial projects.

#### Notes:

Add colour references (BR, BF, GY.) to complete product codes.



Rope Top



Round Top Charcoal







	Description		Dorakh	Nie was	Linear m	Pack wt	Pack		Colour/A	vailability	
Product	Product code*	Plan size mm	Depth mm	No. per pack	per pack	max kg	type	Brindle (BR)	Buff (BF)	Charcoal (CL)	Natural (GY)
Rope Top	MVPEN1FR	580 x 50	150	40	24.36	420	Pallet	Ex Stock	-	Ex Stock	-
Round Top	MVDR600	600 x 50	150	40	24	420	Pallet	-	Ex Stock	Ex Stock	Ex Stock
Round Top Pressed	RT600	600 x 50	150	48	28.8	450	Pallet	-	Ex Stock	-	Ex Stock

Joint Fillers

# Joint Fillers permeable chippings & kiln dried sand

#### Description

Brett Kiln Dried Sand and Permeable Chippings form an effective joint-filling solution, and are graded relative to the requirements of the relevant British Standards to ensure structural stability of the pavement.

#### Application

Brett Joint Fillers complete pavement installation both on conventional and permeable structures. The coverage achieved will be dependent on the thickness of the blocks used in the pavement construction.

#### Notes:

Aura pavements require a combination of both permeable chippings and kiln dried sand. Further guidance on this installation method can be requested

Maxi bags: full pallet (56/70 bags) or part pallet (any quantity supplied on a pallet).

Permeable Chippings	Coverage (per 25kg)
Product code	CH06MX
60mm Permeable Paving	4.0m²
80mm Permeable Paving	3.0m²
Aura Rectangular Block Patterns	5.00m²
Aura Fleur de Lys Patterns	4.00m²

Kiln Dried Sand	Coverage (per 20kg)
Product code	JS00MX
Block paving thickness	
50mm	6.80m²
60mm	4.40m²
80mm	3.50m²





#### Alpha & Drivestyle Kerbs

# Alpha & Drivesty Kerbs











P.73-76

#### Description

Both low-profile kerbs with clean edges, Brett Alpha and Drivestyle kerbs share the same pressed concrete material and dimensions. and are available with bullnose and splay profile options. Brett Drivestyle kerbs feature a smooth, standard finish, while Alpha kerbs have a tumbled, rustic surface.

#### Application

Brett Alpha and Drivestyle kerbs are well-suited to creating level changes. driveway borders and edges.

#### Notes:

Brett Alpha & Drivestyle Kerbs have a full suite of corners, radials and transition fittings. Brett kerbs should be designed and constructed in accordance with the requirements of BS 7533. For radial calculations please see page 79.

- Add colour references (AG, BR etc.) to complete product codes.
- \*\* Standard kerb units can be laid as either Bullnose or Splay position, simply rotate.























Descrip	tion				Linear m Pack wt Pack			Colour/Availability								
	Product	No. per	No. per											Alpha (A)		Drivestyle (D)
Product	code*	pack	linear m	per pack	max kg	type	Autumn Gold (AG)	Brindle (BR)	Charcoal (CL)	Autumn Gold (AG)	Brindle (BR)	Charcoal (CL)				
Kerb	AK99 or DK99	270	10	27	891	Pallet	мто	MTO	MTO	мто	МТО	Ex Stock				
Corner Splay	ACSP or DCSP	1	-	-	4	Singles	мто	MTO	MTO	МТО	MTO	МТО				
Corner Bullnose	ACBN or DCBN	1	-	-	4	Singles	мто	MTO	MTO	мто	МТО	Ex Stock				
Radial Splay	ARSP or DRSP	1	-	-	3	Singles	мто	MTO	MTO	мто	MTO	МТО				
Radial Bullnose	ARBN or DRBN	1	-	-	3	Singles	мто	MTO	MTO	МТО	МТО	Ex Stock				

P.72-74 & 76-77

#### Description

A pressed concrete kerb unit with both bullnose and half batter profile options, Brett High kerbs are designed to create prominent edge details with maximum visibility and feature a smooth finish.

#### Application


Brett High kerbs are a popular choice for the creation of steps, level changes, driveway borders and edges.


#### Notes:

Brett High kerbs have a full suite of corners. radials and transition fittings. Brett Kerbs should be designed and constructed in accordance with the requirements of BS 7533. For radial calculations please see page 79.

- Add colour references (AG, BR etc.) to complete product codes.
- \*\*\* This versatile kerb can be installed in varying positions, Bullnose, Half Batter and Flat; simply rotate.











Bullnose Corner





Flat Corner













Descript	ion		N					Colour/Availabili	ty
Product	Product code*	No. per pack	No. per linear m	Linear m per pack	Pack wt max kg	Pack type	Autumn Gold (AG)	Brindle (BR)	Charcoal (CL)
Kerb	HK99	168	10	16.80	1058	Pallet	МТО	мто	Ex Stock
Kerb (Barrow)	HKB99	160	10	16.00	1008	Pallet	МТО	МТО	Ex Stock
Corner Half Batter	НСНВ	1	-	-	9	Singles	МТО	МТО	Ex Stock
Corner Bullnose	HCBN	1	-	-	9	Singles	мто	мто	Ex Stock
Radial Half Batter	HRHB	1	-	-	6	Singles	МТО	МТО	Ex Stock
Radial Bullnose	HRBN	1	-	-	7	Singles	МТО	МТО	Ex Stock
Flat Half Batter Corner Unit	HCF	1	-	-	13	Singles	мто	мто	мто

P.72-74 & 75-76

#### Description

Brett Mobility kerbs have been specifically designed to provide a tactile feel for partially-sighted users to recognise the pavement edge, while featuring a shallow taper profile to minimise any issues for users with mobility issues.

#### Application

Brett Mobility kerbs are ideal for use within urban spaces, as well as in shared-space developments in both commercial and residential environments.


#### Notes:


Brett Mobility kerb has a full suite of Corner, and Transition fittings.

Brett kerbs should be designed and constructed in accordance with the requirements of BS 7533.

 \* Add colour references (BR, CL etc.) to complete product codes.











Descrip	otion	No	No	Pack wt	Pack	Colour/A	vailability
Product	Product code*	No. per pack	No. per linear m	max kg	type	Brindle (BR)	Charcoal (CL)
Kerb	MK100	216	10	1095	Pallet	МТО	МТО
Transition LH	MKT100LH	1	-	12.10	Singles	МТО	МТО
Transition RH	MKT100RH	1	-	12.10	Singles	МТО	МТО
Internal Corner	MKIA100	1	-	5.50	Singles	MTO	МТО
External Corner	MKEA100	1	-	7.50	Singles	МТО	МТО
Crossover	MKC100	1	-	3.80	Singles	МТО	МТО

# **Omega Kerb**





Accessories

Omega Kerb

0

#### Description

Designed to integrate with all Brett standard concrete paving ranges, Omega Kerb is the perfect accompaniment to our Omega block paving products.

#### Application

Brett's Omega Kerb's 200mm length allows fewer units to be used to create borders and boundaries, saving installation time while offering excellent value.



Brett kerbs should be designed and constructed in accordance with the requirements of BS 7533.

\* Add colour references (CL) to complete product codes.





Charcoal (CL)

	Description		No. per	No. per	Pack wt	Pack	Colour/Availability
Product	Product code*	Available sizing mm	pack	linear m	max kg	type	Charcoal (CL)
Omega Kerb	OK99	200 x 100 x 60-80	308	5	1070	Void	Ex Stock

### **Transition Kerbs**



Accessories

Transition Kerbs

P.72-73

#### Description

Brett's pressed concrete Transition kerbs allow designers to transfer fluidly from one Brett kerb profile to another, for maximum flexibility.

#### Application


Transitions are suitable for use in any project that requires multiple kerb profiles. They are crucial when creating smooth kerb runs, and so are ideal for drop kerbs and crossover points. Please see the notes accompanying each product diagram for specific details.

#### Notes:


Brett kerbs should be designed and constructed in accordance with the requirements of BS 7533. Drop kerbs are sold in pairs only.

All transitions are MTO only.


TH Converts High Bullnose Kerbs to Half Batter




TBS Converts High Kerbs to British Standard Kerbs




BNBN Converts Bullnose High Kerbs to Bullnose Drivestyle Kerbs




TBNF Converts High Bullnose Kerbs
to the Flat with Crossover unit



THBF Converts Haff Safter Kerbs to the Flat with Crossover unit



THBF Converts Half Batter High Kerbs to Splay Drivestyle Kerb



# Vintage Kerb







38.64 linear m per pack





Accessories

Vintage Kerb

#### Description

Designed to create rustic details in any project, Brett Vintage kerbs are pressed and traditionally tumbled concrete units.

#### Application

Vintage kerbs are a versatile option which can be used in a range of orientations and applications, including edging driveways, creating non-structural domestic walling or as a contrasting detail to natural stone and garden paving




Brett kerbs should be designed and constructed in accordance with the requirements of BS 7533.

Add colour reference (CL) to complete product codes.







Wide installation method 10.00 per linear m 13.80 linear m per pack



Horizontal installation method 3.57 per linear m



Narrow installation method 7.14 per linear m 19.32 linear m per pack




	Description		No non	No. per No. per Linear m		Pack wt	Pack	Colour/Availability
Product	Size mm	Product code*	pack	linear m	per pack	max kg	type	Charcoal (CL)
Vintage Kerb	280 x 140 x 100	VK100	138	See above	See above	1187	Void	мто

Radius Calculator

#### Description

Once you have selected your Brett kerb product, the following tables shown should demonstrate how Radial and Standard kerbs work together to form different curves, both on internal and external radii.



#### Notes:

Any radius greater than the largest diagram will only require the standard kerb. For additional help calculating radials, please call 0345 60 80 577.

#### Alpha and Drivestyle Kerbs



#### Description

Offered in a range of shapes and colours, Brett Stepping Stones are traditional, wet-cast paving units featuring sloping edges and a gently riven surface to match and complement the Brett Garden Paving range.

#### Application

Stepping Stones are designed to add character and contrast to garden areas, creating informal walking areas either within the lawn or in its borders.

#### Notes:

Add colour references (AB, WB etc.) to complete product codes.











	Description		Thickness	No. per	Pack wt	Dools	Colour/Availability Pack				
Stepping Stones	Product code*	Plan size approx. mm	mm	pack	max kg	type	Brown (AB)	Buff (WB)	Grey (WS)		
Random	MVBRSSM32	450 x 400	32	32	498	End Pallet	Ex Stock	Ex Stock	Ex Stock		
Circular	MVBRSS32	300 dia.	32	64	375	Centre Pallet	Ex Stock	Ex Stock	Ex Stock		

# Porcelain walling & accessories

Ideal for internal or external use, the stunning collection of Brett Porcelain walling complements the timeless beauty of our porcelain garden and driveway paving options. The Brett Coastal and Tempest Porcelain ranges are no exception. Staggeringly attractive, they deliver your customers' vision with a contemporary coolness and stylish confidence.

#### Accessories

The Brett Porcelain ranges include a full suite of complementary accessories, including kerbs, edging units and step risers. Each item is MTO and is designed for domestic use including the creation of pathways, steps and copings. Contact our customer service team on 0345 60 80 577 about our made to order accessories.

#### Notes:

See the ranges on pages 18 and 19.






		Description		Thickness	No. per	2	Pack wt	Pack	Colour/Availability		
	Product	Product code*	Plan size mm	mm	pack	m² per pack	max kg	type	Ocean (OC)	Sea Mist (SM)	
0	Coastal Porcelain Walling	PWC	400 x 160	10 Av.	15	0.96	16.75	Box	Ex Stock	Ex Stock	


Assumes a 0mm joint.

	Description		Thistonese	No	2	Deeleast	Deals	Colour/Availability	
Product	Product code*	Plan size mm	Thickness mm	No. per pack	m² per pack	Pack wt max kg	Pack type	Volcanic Ash (VA)	Warm Amber (WA)
Tempest Porcelain Walling	PWT	385 x 75	10 Av.	26	0.75	13.40	Вох	Ex Stock	Ex Stock

Assumes a 0mm joint.



# Commercial Kerbs





#### CONTENTS

99-101	Additional & Further Information
90-98	Trief Kerb
85-89	Kassel Kerb (including Diamond Paving)
	Specialist Kerbs
84	Yorktone
83	Meltone





# Meltone kerb









Commercial Kerbs

Meltone

ne

#### Description

Brett Meltone wet-pressed kerbs feature a silver-grey granite finish and finely textured surface perfectly complementing both the Meltone Flag paving range and the Invicta Block Paving range.

#### Application

Brett Meltone kerbs are suitable for a wide range of domestic, commercial and urban projects, and integrate perfectly with the two available Meltone flag paving options.

#### Notes:

Brett Meltone kerbs should be designed and constructed in accordance with the requirements of BS 7533.

\* Add colour references (FL) to complete product codes.















Description		Size	Name	Pack wt	Pack	Colour/Availability
	Product code*	mm	No.per pack	max kg	type	Black Fleck (FL)
CS1 Square Edge kerb	MTCS1	125 x 255 x 914	16	1104	Pallet	MTO
CS2 Square Edge kerb	MTCS2	125 x 150 x 914	16	640	Pallet	MTO
CS1 Square Edge Radial kerb (1,2,3,6,8 or 10m int. or ext. radius)	Varies	125 x 255 x 780	1	56	Pallet	МТО
CS2 Square Edge Radial kerb (1,2,3,6,8 or 10m int. or ext.radius)	Varies	125 x 150 x 780	1	35	Pallet	МТО
CS1 External Quadrant	MTCS1Q305S	305 x 305 x 255	1	23	Pallet	MTO
CS1 External Angles	MTCS1EAS	125 x 255 x 305	1	41	Pallet	MTO
CS1 Internal Angles	MTCS1IAS	125 x 255 x 305	1	41	Pallet	MTO
CS1 to CS2 Dropper kerb (left or right hand)	MTSD914RS/ MTSD914LS	125 x (255 to 150) x 914	1	54	Pallet	МТО
Flat Top Edging	MTF150	50 x 150 x 914	40	640	Pallet	MTO



# Description

Designed for a seamless, complementary appearance with our matching Yorktone flag paving ranges, Brett Yorktone kerbs are a range of wet-pressed kerbs with a finely textured surface and straight edges for a clean, modern aesthetic.

Yorktone kerb

#### Application

Yorktone kerbs are ideal for a range of urban and commercial applications.

#### Notes:

Brett Yorktone kerbs should be designed and constructed in accordance with the requirements of BS 7533.

Add colour references (GY etc.) to complete product codes.







Description	Description					
HB2 Half Batter kerb	YKHB2	125 x 255 x 914	16	1104	Pallet	MTO
BN2 Bullnose kerb	YKBN2	125 x 255 x 914	16	1104	Pallet	MTO
BN3 Bullnose kerb	YKBN3	125 x 150 x 914	16	640	Pallet	MTO
HB2 Half Batter Radial kerbs (3, 6 or 10m int. or ext.)	Varies	125 x 255 x 780	1	56	Pallet	МТО
BN3 Bullnose Radial kerbs (3, 6 or 10m int. or ext.)	Varies	125 x 150 x 780	1	35	Pallet	МТО
HB2 to BN3 Dropper kerb (left or right hand)	YKSD914L/RS	125 x (255 to 150) x 914	1	54	Pallet	МТО
HB2 Internal Angles	YKHB2IAS	125 x 255 x 305	1	41	Pallet	MTO
HB2 External Angles	YKHB2EAS	125 x 255 x 305	1	41	Pallet	MTO
HB2 305mm Quadrant	YKHB2Q305S	305 x 305 x 255	1	45	Pallet	MTO
Flat Top Edging	YKF150	50 x 150 x 914	40	640	Pallet	МТО

# Kassel Kerb bus access kerb system









Commercial Kerbs

#### Description

The Brett Kassel Kerb system offers a unique solution for bus docking by providing a reduced gap between pavement and the bus platform. The results are safer, faster and easier passenger, wheelchair and pushchair access. It's available in either concrete or granite finishes and is enhanced by a wide range of accessory products.


#### Application

Brett Kassel Kerbs are designed for use in all bus stop, station and transport interchange projects. For maximum benefit, the entire kerb design should be taken into consideration.

For assistance, contact the Brett Design Team on 03450 60 80 577.



160mm unit	Product code	Weight kg
Concrete	KK601000*	282
Granite	KK601000G	313




180mm unit	Product code	Weight kg
Concrete	KK801000*	296
Granite	KK801000G	329

#### Notes:


The unique profile of the Brett Kassel Kerb is designed to minimise tyre wear when buses pull into the bus stop.

Ex stock. All other codes on this page are


All dimensions are in mm.



160mm unit	Product code	Weight kg
Concrete	KK60500*	141
Granite	KK60500G	157



180mm unit	Product code	Weight kg
Concrete	KK80500*	148
Granite	KK80500G	164



		Weight kg
Concrete	KKFB	166
Granite	KKFBG	184

# Kassel Kerb ramps & transitions



Commercial Kerbs

Kassel Kerb

86

#### Description

Creating a seamless transition between standard 160mm or 180mm units and British Standard HB2 kerbs – while ramp sets create a transition to a flat block – Brett Kassel Kerb ramps and transitions allow the system to be integrated into any traffic project. They are available in both concrete and granite finishes.

#### Application

Brett Kassel Kerb ramps and transitions are designed for use in all bus stop, station and transport interchange projects. For maximum benefit the entire kerb design should be taken into consideration.

For assistance, contact the Brett Design Team on **03450 60 80 577**.

# Front elevation - right hand ramp set Road level Flat block Ramp set No.3 Ramp set No.2 Ramp set No.1 Standard units D C B A A

#### RAMP SET NO. 1

160mm unit	Code LH	Code RH	Weight kg
Concrete	KK60RL1*	KK60RR1*	265
Granite	KK60RL1G	KK60RR1G	294
Height	314 (A) down to 270 (B)		
180mm unit	180mm unit		
Concrete	KK80RL1*	KK80RR1*	284
Granite	KK80RL1G	KK80RR1G	315
Height mm	334 (A) down to 280 (B)		

#### RAMP SET NO. 2

Concrete	KK60RL2*	KK60RR2*	225
Granite	KK60RL2G	KK60RR2G	250
Height mm	Height mm 270 (B) down to 215 (C)		
180mm unit			
Concrete	KK80RL2*	KK80RR2*	244
Granite	KK80RL2G	KK80RR2G	271
Height mm	280 (B) down to 225 (C)		


#### TRANSITION KERRS


Concrete	KK60TLH*	KK60TRH*	273
Granite	KK60TLHG	KK60TRHG	303
	314 (	A) down to 2	75 (B)
180mm unit			
Concrete	RK80TLH*	KK80TRH*	280
Granite	KK80TLHG	KK80TRHG	311
	334 (A) down to 275 (B)		

#### RAMP SET NO. 3

Concrete	KNOUKLS	KKOOKKS	103
Granite	KK60RL3G	KK60RR3G	188
Height	215 (C) down to 170 (D)		
180mm unit			
Concrete	KK80RL3*	KK80RR3*	188
Granite	KK80RL3G	KK80RR3G	209
Height mm	225 (C) down to 170 (D)		

Concrete KK60PL3\* KK60PP3\* 169





#### Notes:

The unique profile of the Brett Kassel Kerb is designed to minimise tyre wear when buses pull into the bus stop.

\* Ex stock. All other codes on this page are MTO.
All dimensions are in mm.

# Kassel Kerb radial & quadrant units

#### Description

With Brett Kassel Kerb radials and quadrants, the system can be integrated into any traffic project. They are available in either concrete or granite finishes.

#### Application

Brett Kassel Kerb radials and quadrants are designed for use in all bus stop, station and transport interchange projects. For maximum benefit the entire kerb design should be taken into consideration. For assistance, contact the Brett Design Team on 03450 60 80 577.


#### Notes:

The unique profile of the Brett Kassel Kerb is designed to minimise tyre wear when buses pull into the bus stop.

\* Ex stock. All other codes on this page are MTO


All dimensions are in mm.

90° quadrant (external or internal)



		Code External	
Concrete	KK60Q90I*	KK60Q90E*	193
Granite	KK60Q90IG	KK60Q90EG	214
180mm unit			
Concrete	KK80Q90I*	KK80Q90E*	204
Granite	KK80Q90IG	KK80Q90EG	226

#### 6m external radius



#### RADIUS KERB 3M (EXTERNAL OR INTERNAL)


160mm unit	Code Internal	Code External	Weight kg
Concrete	≥KK603IR*	KK603ER*	297
Granite	KK603IRG	KK603ERG	330
180mm unit			
Concrete	KK803IR*	KK803ER*	312
Granite	KK803IRG	KK803ERG	346

#### RADIUS KERB 6M (EXTERNAL OR INTERNAL)

		COUC External	
Concrete	KK606IR*	KK606ER	289
Granite	KK606IRG	KK606ERG	321
180mm unit			
Concrete	KK806IR*	KK806ER*	304
Granite	KK806IRG	KK806ERG	337

160mm unit Code Internal Code External Weight kg

#### 45° external quadrant




160mm unit	Product code	Weight kg
Concrete	KK60Q45E*	199
Granite	KK60Q45EG	221
180mm unit		
Concrete	KK80Q45E*	208
Granite	KK80Q45EG	231

#### Description

Providing a reduced gap between the pavement and the bus platform, Brett Slimline Kassel Kerbs are available in either concrete or granite finishes and have a large number of compatible accessories, integrating it into any project.

#### Application

Kassel Kerb Slimline is ideally suited to retro-fit applications where designers don't want to disturb the existing kerb line and require minimal excavation prior to installation. For maximum benefit the entire kerb design should be taken into consideration For assistance, contact the Brett Design Team on 03450 60 80 577.



		Weight kg
Concrete	KKSL401000	113
Granite	KKSL401000G	125




			Weight kg
Concrete	KKSL40TLH	KKSL40TRH	96
Granite	KKSL40TLHG	KKSL40TRHG	107




160mm unit	Product code	Weight kg
Concrete	KKSL601000*	123
Granite	KKSL601000G	137



			Weight kg
Concrete	KKSL60TLH*	KKSL60TRH*	101
Granite	KKSL60TLHG	KKSL60TRHG	112



		Weight kg	
Concrete	KKSL801000*	132	
Granite	KKSL80100G	147	



180mm unit	Code LH	Code RH	Weight kg
Concrete	KKSL80TLH*	KKSL80TRH*	106
Granite	KKSL80TLHG	KKSL80TRHG	118

Notes: The unique profile of the Brett Kassel Kerb is designed to minimise tyre wear when buses pull into the bus stop. \* Ex stock. All other codes on this page are MTO. All dimensions are in mm.







Commercial Kerbs

assel Kerb

. .


#### Description

A Kassel Kerb accessory, Brett Diamond paving is designed for integration into bus stops where the Brett Slimline Kassel system has been specified, providing the benefit of the textured Kassel surface without disturbing the existing kerb line.

#### Application

Brett Diamond Paving can be used to highlight the boarding area of the bus stop, and can be pre-drilled for the installation of LED ground lighting, enhancing safety for passengers in poor light conditions.

For maximum benefit the entire kerb design should be taken into consideration. Contact the Brett Design Team on **03450 60 80 577**.



Desc	ription	Diam sins	Thickness	No see	Pack wt	
	Product code		mm	No.per pack	max kg	Availability
Diamond paving	DIJ50GRY-S	400 x 200	50	1	8.9	Ex stock

#### Notes:

Brett Diamond paving should be designed and constructed in accordance with the requirements of BS 7533.

All dimensions are in mm.



# Trief® GST2A commercial kerb system







Commercial Kerbs

Trief®

~

#### Description

The Trief® GST2A Kerb is a passive safety system, designed to contain and re-direct vehicles safely back onto carriageways thanks to its size and unique shape – delivering high levels of vehicle and passenger protection. Typically supplied in a smooth concrete finish, it's also available in an exposed aggregate finish or in natural granite.

#### Application

The several lengths of straight kerb available provide enhanced flexibility when designing traffic projects.


#### Notes:

The Brett Trief® (GST2A) kerb has been independently tested and approved to the standard for Road Restraint Systems BS EN 1317 Part 1 & 2, by the Transport Research Laboratory (Report TRL068).

 Ex stock. All other codes on this page are MTO.

All dimensions are in mm.

#### GST2A Standard Kerb 914mm




		Weight kg
Concrete	GST2A914*	227
Granite	GST2A914G	251
Exposed	GST2A914E	227

Dowelled option available MTO.

#### Trief® spacing - all profiles


When installed to a curve/radius the spacing between the kerbs should be 3-12mm, however in some instances this may not be possible and this spacing may be exceeded.

#### GST2A Short Lengths 669mm



			Weight kg
	Concrete	GST2A669*	166
~	Granite	GST2A669G	184
35	Exposed	GST2A669E	166

#### GST2A Short Lengths 543mm



		Weight kg
Concrete	GST2A543*	135
Granite	GST2A543G	150
Exposed	GST2A543E	135

#### GST2A Half Kerb 455mm



Product	Product code	Weight kg
Concrete	GST2A455*	113
Granite	GST2A455G	125
Exposed	GST2A455E	113

Dowelled option available MTO.

### Trief® GST2A radial units





Commercial Kerbs

ef®

2.85

#### Description

Brett Trief® (GST2A) Kerb Radial units allow the containment kerb system to be integrated into nearly any traffic project. They're available in both granite and concrete finishes for added design flexibility.

#### Application


The use of various radial units, both internal and external, will help you to achieve the radius required for your chosen project.


#### Notes:

The Brett Trief® (GST2A) kerb has been independently tested and approved to the standard for Road Restraint Systems BS EN 1317 Part 1 & 2, by the Transport Research Laboratory (Report TRL068). For help working out which radial units you need for your project visit the Brett web site and try the Trief Radius Calculator.

 Ex stock. All other codes on this page are MTO.

All dimensions are in mm.





Description		Length mm		Weight	
		А В			
TRIEF® KERB GST2A 1.0mm INTERNAL RADIUS					
Concrete	GST2A1IR*			V1200	
Granite	GST2A1IRG	387	538	133	
Exposed	GST2A1IRE			120	
TRIEF® KERB GST2A 1.2mm INTERNAL RADIUS					
Concrete	GST2A1.2IR*			139	
Granite	GST2A1.2IRG	465	616	154	
Exposed	GST2A1.2IRE			139	
TRIEF® KER	B GST2A 1.5m	m INT	ERNA	L RADIUS	
Concrete	GST2A1.5IR*			112	
Granite	GST2A1.5IRG	386	486	124	
Exposed	GST2A1.5IRE			112	

	iption	Length mm		Weight
TRIEF® KER	B GST2A 3 0 h	A NIT	ERNA	L RADIUS
Concrete	GST2A3IR*			156
Granite	GST2A3IRG	582	657	173
Exposed	GST2A3IRE			156
TRIEF® KERB GST2A 4.5mm INTERNAL RADIUS				
Concrete	GST2A4.5IR*			183
Granite	GST2A4.5IRG	700	760	203
Exposed	GST2A4.5IRE			183
TRIEF® KERB GST2A 6mm INTERNAL RADIUS				
Concrete	GST2A6IR*			201
Granite	GST2A6IRG	779	829	223
Exposed	GST2A6IRE			201

Des	cription	Lengt	th mm	Weight
TRIEF® KE	RB GST2A 1.	<b>P</b> EXT	ERNA	L RADIUS
Concrete	GST2A1ER*			73
Granite	GST2A1ERG	387	236	81
Exposed	GST2A1ERE			73
TRIEF® KE	RB GST2A 1.2mi	n EXT	ERNA	L RADIUS
Concrete	GST2A1.2ER*			93
Granite	GST2A1.2ERG	465	313	103
Exposed	GST2A1.2ERE			93
TRIEF® KERB GST2A 1.5mm EXTERNAL RADIUS				
Concrete	GST2A1.5ER*		289	81
Granite	GST2A1.5ERG	386		90
Exposed	GST2A1.5ERE			81
TRIEF® KE	RB GST2A 3.0mi	m EXT	ERNA	L RADIUS
Concrete	GST2A3ER*			133
Granite	GST2A3ERG	582	507	148
Exposed	GST2A3ERE			133
TRIEF® KERB GST2A 4.5mm EXTERNAL RADIUS				
Concrete	GST2A4.5ER*			206
Granite	GST2A4.5ERG	876	876 801	229
Exposed	GST2A4.5ERE			206

# Trief® GST2A tapered units





Commercial Kerbs

Trief®

#### Description

Brett Trief® (GST2A) Kerb Tapered units allow this containment system to be integrated into a British Standard HB2 kerb run. They're available in both granite and concrete finishes for added design flexibility.

#### Application

Taper units create a seamless transition from Trief® (GST2A) kerbs to British Standard HB2 or Splay road kerbs.

#### Notes:

The Brett Trief (GST2A) kerb has been independently tested and approved to the standard for Road Restraint Systems BS EN 1317 Part 1 & 2, by the Transport Research Laboratory (Report TRL068).

 Ex stock. All other codes on this page are MTO.

All dimensions are in mm.

#### Front elevation - right hand taper




#### GST2A Taper left hand

Product	Code	Weight kg			
LARGE TAPER	LARGE TAPER UNIT LEFT HAND				
Concrete	GST2AL2*	183			
Granite	GST2AL2G	203			
Exposed	GST2AL2E	183			
	down to	325 x 270			
SMALL TAPER	ALL TAPER LEFT HAND TO HB2				
Concrete	GST2AL1*	112			
Granite	GST2AL1G	124			
Exposed	GST2AL1E	112			
	down to	225 x 157			
SMALL TAPER	SMALL TAPER UNIT LEFT HAND TO SPLAY KERB				
Concrete	GST2AL1S*	108			
Granite	GST2AL1SG	120			
Exposed	GST2AL1SE	108			
Height mm	down to 225 x 157				

#### GST2A Taper right hand

Product	Code	Weight kg	
LARGE TAPER UNIT RIGHT HAND			
Concrete	GST2AR2*	183	
Granite	GST2AR2G	203	
Exposed	GST2AR2E	183	
	down to	25 X 270	
SMALL TAPE	R RIGHT HAND TO HB2		
Concrete	GST2AR1*	112	
Granite	GST2AR1G	124	
Exposed	GST2AR1E	112	
	down to 225 x 157		
SMALL TAPE	R UNIT RIGHT HAN	TO SPLAY KERB	
Concrete	GST2AR1S*	108	
Granite	GST2AR1SG	120	
Exposed	GST2AR1SE	108	
Height mm	down to 225 x 157		



Commercial Kerbs

#### Description

Brett Trief® (GST2A) Kerb Quadrant units allow the containment kerb system to be integrated into nearly any traffic project. They're available in both granite and concrete finishes for added design flexibility.

#### Application

The range of Brett Trief® (GST2A) Kerb Quadrant units - both internal and external - will help you to achieve a variety of angles, which is particularly useful when designing traffic or splitter islands.


#### Notes:

The Brett Trief (GST2A) kerb has been independently tested and approved to the standard for Road Restraint Systems BS 1317 Part 1 & 2, by the Transport Research Laboratory (Report TRL068).

\* Ex stock. All other codes on this page are MTO.

All dimensions are in mm

#### GST2A Internal quadrants



GST2A INTERNAL Q	UADRANT 30°		
Concrete	GST2AQ30I* ◯	38	
Granite	GST2AQ30IG	42	
Exposed	GST2AQ30IE	38	
GST2A INTERNAL Q	UADRANT 45°		
Concrete	GST2AQ45I*	56	
Granite	GST2AQ45IG	62	
Exposed	GST2AQ45IE	56	
GST2A INTERNAL QUADRANT 90°			
Concrete	GST2AQ90I*	112	
Granite	GST2AQ90IG	124	
Exposed	GST2AQ90IE	112	

#### GST2A External quadrants

	Code	Weight kg
GST2A EXTERNAL (	QUADRANT 30°	
Concrete	GST2AQ30E*	26
Granite	GST2A@30EG	29
Exposed	GST2AQ30EE	26
GST2A EXTERNAL O	QUADRANT 45°	
Concrete	GST2AQ45E*	38
Granite	GST2AQ45EG	42
Exposed	GST2AQ45EE	38
GST2A EXTERNAL (	QUADRANT 60°	
Concrete	GST2AQ60E*	51
Granite	GST2AQ60EG	57
Exposed	GST2AQ60EE	51
GST2A EXTERNAL	QUADRANT 90°	
Concrete	GST2AQ90E*	76
Granite	GST2AQ90EG	84
Exposed	GST2AQ90EE	76
DEO		







GST2A External quadrant 45°



GST2A External quadrant 60°



GST2A External quadrant 90°

# Trief® GST2 shallow kerb system







Commercial Kerbs

rief®

#### Description

Designed with the same profile as the standard Trief® (GST2A) system, but with a reduced height, the Brett Trief® (GST2) Shallow Kerb system is suitable for installation in applications with restricted depths and has the option of bonded installation methods. Available in both granite and concrete finishes.

#### Application

Trief® (GST2) Shallow Kerbs are suitable for restricted-depth applications, such as bridge decks, underground car parks or structural parapets.


#### Notes:

These can be supplied with dowelled holes through the kerb to offer additional installation methods.

 Ex stock. All other codes on this page are MTO.

All dimensions are in mm.


## GST2 Standard Kerb 914mm\*



914mm unit		Weight kg
Concrete	GST2914*	684905
Granite	GST2914G	210
Exposed	GST2914E	OS 990°

Dowelled option available MTO.

#### GST2 Half Kerb 455mm



455mm unit	Product code	Weight kg
Concrete	GST2455*	95
Granite	G\$T2455G	105
Exposed	GST2455E	95

Dowelled option available MTO.



# Trief® GST2 shallow tapered units



Commercial Kerbs

Trief®

0

#### Description

Allowing Brett Trief® (GST2) Shallow Containment Kerbs to be integrated into British Standard kerb runs, these Shallow Tapered units are available in both granite and concrete finishes.

#### Application

Trief® (GST2) Shallow Kerbs are suitable for restricted-depth applications, such as bridge decks, underground car parks or structural parapets.

#### Notes:

\* Ex stock. All other codes on this page are MTO.

All dimensions are in mm.


#### 

#### GST2 Taper left hand

		Weight kg		
LARGE TAPER U	LARGE TAPER UNIT LEFT HAND			
Concrete	GST2L2*	151		
Granite	GST2L2G	163		
Exposed	GST2L2E	151		
	down to 280 x 270			
SMALL TAPER L	TAPER LEFT HAND TO HB2			
Concrete	GST2L1*	92		
Granite	GST2L1G	102		
Exposed	GST2L1E	92		
	down to 180 x 157			
SMALL TAPER U	JNIT LEFT HAND T	O SPLAY KERB		
Concrete	GST2L1S*	88		
Granite	GST2L1SG	98		
Exposed	GST2L1SE	88		
	down to 180 x 157			

#### GST2 Taper right hand

LARGE TAPER U	LARGE TAPER UNIT RIGHT HAND			
Concrete	GST2R2*	151		
Granite	GST2R2C	168		
Exposed	GST2R2E	151		
	down to 280 x 270			
SMALL TAPER RIGHT HAND TO HB2				
Concrete	GST2R1*	92		
Granite	GST2R1G	102		
Exposed	GST2R1E	92		
	down to 180 x 157			
SMALL TAPER U	INIT RIGHT HAND	TO SPLAY KERB		
Concrete	GST2R1S*	88		
Granite	GST2R1SG	98		
Exposed	GST2R1SE	88		
	down to 180 x 157			



# Trief® Cadet GST1A commercial kerb system





Commercial Kerbs

#### Description

The Trief Cadet (GST1A) Commercial Kerb system delivers high levels of vehicle and pedestrian protection, thanks to its size and unique shape. Typically supplied in a smooth concrete finish, it's also available in a rough 'washed' finish or in natural granite.

#### Application

Brett Trief® Cadet (GST1A) Kerbs are designed for use on roads with a maximum traffic speed of up to 30mph, making them ideal for urban and residential areas, as well as smaller traffic calming schemes.


#### Notes:

Brett GST1A kerbs are easily integrated into projects using the GST2A taper units

Ex stock, All other codes on this page are MTO

All dimensions are in mm.

#### GST1A External quadrants




#### GST1A Internal quadrants




#### GST1A Half Kerb 455mm





Concrete	GST12A914*	149
Granite	GST1A914G	165
Exposed	GST1A914E	149



Product		Weight kg
GST1A RADIUS KERB 750MM		
Concrete	GST1A75ER*	51
Granite	GST1A75ERG	56
Exposed	GST1A75ERE	51

		Weight kg	
GST1A RADIUS KERB 1500MM			
Concrete	GST1A1.5ER*	114	
Granite	GST1A1.5ERG	126	
Exposed	GST1A1.5ERE	114	











#### P.85

#### Description

Providing a clear directional indication and highly visible from a distance, Brett Trief® (GST2A) Chevron Kerbs are finished with paint and glass Ballotini beads, creating a reflective surface finish.

#### Application

Brett Trief® (GST2A) Chevron Kerbs are extremely effective for direction indication at traffic islands, junctions, refuges and roundabouts.

#### Notes:

The Brett GST2A Chevron kerbs are easily integrated into projects using the GST2A suite of accessories. These units are designed to be used on radius of 7m and over.

All dimensions are in mm.





Front elevation with anti-clockwise directional indication



			Weight kg
Chevron clockwise	Black reflective	GSTZACCBRF	75
	Black resin	GST2ACCBRM	
	White reflective	GST2ACCWRF	
	White resin	GST2ACCWRM	
Chevron clockwise stop end left hand	Black reflective	GST2ACCLBRF	39
	Black resin	GST2ACCLBRM	
	White reflective	GST2ACCLWRF	
	White resin	GST2ACCLWRM	
Chevron clockwise stop end right hand	Black reflective	GST2ACCRBRF	
	Black resin	GST2ACCRBRM	
	White reflective	GST2ACCRWRF	51
	White resin	GST2ACCRWRM	

			Weight kg
Chevron anti-clockwise	Black reflective	GST2ACABRF	75
	Black resin	GST2ACABRM	
	White reflective	GST2ACAWRF	
	White resin	GST2ACAWRM	
Chevron anti-clockwise stop end left hand	Black reflective	GST2ACALBRF	51
	Black resin	GST2ACALBRM	
	White reflective	GST2ACALWRF	
	White resin	GST2ACALWRM	
Chevron anti-clockwise stop end right hand	Black reflective	GST2ACARBRF	
	Black resin	GST2ACARBRM	39
	White reflective	GST2ACARWRF	39
	White resin	GST2ACARWRM	

# Trief® GST1A Cadet Chevron radial wasts









Commercial Kerbs

#### Description

Brett Trief® (GST1A) Cadet Chevron Kerb radial units feature an interlocking design, with a configuration that indicates the direction of travel. They feature a painted surface, and are available with or without Ballotini glass beads, which provide enhanced reflectiveness.

#### Application


Brett Trief® (GST1A) Cadet Chevron Kerb radial units are highly effective for directional indication at roundabouts and on bends

#### Notes:


The Brett GST1A Cadet Chevron kerbs are easily integrated into projects using the GST1A suite of accessories. These units are designed to be used on radius of 6m and over.

All dimensions are in mm

Clockwise Chevron unit




Anti-clockwise Chevron unit



Front elevation with clockwise directional indication

Front elevation with anti-clockwise directional indication



			Weight kg
Chevron clockwise	Black reflective	GST1ACCBRF	49
	Black resin	GST1ACCBRM	
	White reflective	GST1ACCWRF	
	White resin	GST1ACCWRM	
Chevron clockwise stop end left hand	Black reflective	GST1ACCLBRF	
	Black resin	GST1ACCLBRM	25
	White reflective	GST1ACCLWRF	25
	White resin	GST1ACCLWRM	
Chevron clockwise stop end right hand	Black reflective	GST1ACCRBRF	
	Black resin	GST1ACCRBRM	20
	White reflective	GST1ACCRWRF	30
	White resin	GST1ACCRWRM	

	Colour	Code	Weight kg
Chevron anti-clockwise	Black reflective	GST1ACABRF	49
	Black resin	GST1ACABRM	
	White reflective	GST1ACAWRF	
	White resin	GST1ACAWRM	
Chevron anti-clockwise stop end left hand	Black reflective	GST1ACALBRF	30
	Black resin	GST1ACALBRM	
	White reflective	GST1ACALWRF	
	White resin	GST1ACALWRM	
Chevron anti-clockwise stop end right hand	Black reflective	GST1ACARBRF	
	Black resin	GST1ACARBRM	٥٦
	White reflective	GST1ACARWRF	25
	White resin	GST1ACARWRM	

### **Additional Information**

We're always looking for new ways to improve our products and services, so you'll always get the very best. From time to time, these improvements might alter our products' characteristics (weight, dimensions, shades, pack size etc.) and these changes may occur without notice.

For the latest product information including weights and dimensions, please get in touch to request the relevant technical data sheets or visit **brettlandscaping.co.uk**.

Although we've taken every care possible to make sure our colour swatches are accurate, differences may occur due to printing processes and variations between manufacturing batches. For a true representation we recommend that you request a product sample, allowing you to get hands-on with your choice of paving.

For all hard landscaping activities, we recommend the production of comprehensive risk assessment and method statements to ensure safe, sustainable and legal working practices are followed at all times.

#### APPLICATION/SUITABILITY

All of our products are manufactured in accordance with the relevant manufacturing standards. This ensures that they can be subject to design, installation and maintenance in accordance with the relevant standard from the BS 7533 suite of standards, as appropriate. An easy way to make sure your block paving is installed the correct way is to look for the small chamfer on the top of the block, this should be facing upwards when installing the block. The reverse side will be smooth without a chamfer.

Nominal Jointing: All dimensions quoted in Brett literature are nominal and are for guidance only. Actual sizes of individual units will vary, particularly on garden products. Most Sqm coverage figures assume a nominal 5mm – 10mm joint is used between all garden products. If you are having difficulty quantifying the product your require, please call our customer service team on 0.345 60 80 570

Specific information relating to product applications is available from

brettlandscaping.co.uk, where you can access a wealth of information including our technical data sheets (TDS), CE Marking, UKCA Marking and/or Declaration of Performance (DoP) certificate as well as NBS clauses and BIM objects. We recommend any considerations relating to planning consents and permissions are satisfied.

To help you get the most from your project, the Brett team is on hand to suggest and advise on suitable product(s) for different applications and provide guidance for a successful installation.

#### **ORDERING**

Selected your Brett product(s)? It's easy to place your order, just contact your nearest Brett stockist. You can find their details on brettlandscaping.co.uk/where-to-buy or you can contact us on 0345 60 80 570 and we'll point you in the right direction.

For the most consistent products possible, we recommend that:

 Where a stockist has provided samples, you use the same stockist is used for ordering final product(s).

- All product is sourced from the same batch, or immediate adjacent batches.
- The total quantity required should be ordered and delivered at the same time to minimise the chance of product or batch variation.
- For larger orders a schedule will be required to successfully manage your orders

In general, it's best to allow for 5% wastage. However, where a project or design requires larger amounts of cutting (for instance when creating a tight, twisting pathway rather than an open plaza area) this may increase the amount of product wastage.

When making any direct-to-site orders, please let us know of any constraints, hazards or special considerations that might need to be made prior to delivery. If you need any assistance calculating quantities, please call our Customer Services Team on 0345 60 80 570.

# Additional Information (continued)

#### **DELIVERY & INSTALLATION**

We take every possible care with your order, but please check that it is in a satisfactory condition on delivery. In the unlikely event you have any issues with your order, please contact your stockist immediately with the product and batch code that are printed on the packaging and explain your concerns to them.

For the best colour and jointing-line consistency, we recommend:

- Mixing from at least three different packs as work progresses.
- Taking product 'slice-by-slice'/vertically from each pack wherever possible.
- · Using string lines.

Following these guidelines will help distribute any minor variations over a larger area, giving you a visually consistent aesthetic over the entire project. However, please note that some variation can still occur between individual products – especially with multi-coloured and natural stone products. These features are to be expected and enhance the character and aesthetic of the

completed installation.

Sealants: Before application of sealant, we suggest that you make sure you are satisfied with the cleanliness and aesthetics of the paving, so that unwanted dirt, detritus and any efflorescence do not become trapped once sealed. We recommend not sealing for a minimum of 12 months. Natural Stone can also show signs of efflorescence as a result of the cementitious bedding material. Natural stone can be sealed, however, we would recommend that all surfaces and edges are sealed prior to installation.

If you have any concerns about the installation of our products, please contact our Customer Services Team on 0345 60 80 570 before work starts. Our team is here to help you get the best from your products. If you or your installer go ahead with installation despite your concern, this may be considered as acceptance of the product and unfortunately, may prejudice future responsibility for costs incurred stemming from remedial works.

#### **EARLY LIFE & MAINTENANCE**

Once your paving has been installed, you may notice some changes to its appearance in the

first days and weeks. These visual changes can be due to a number of reasons originating from the concrete and/or the manufacturing process or installation method.

Many of these changes will simply weather away, including:

- Efflorescence: The ongoing chemical reaction within the concrete which provides its strength can produce calcium carbonate (a white powdery residue) which may appear on the surface of products. This temporarily lightens the product but will typically weather away without reoccurrence.
- Porosity: Concrete continues to cure for many years after manufacture. Whilst this happens and usually during it's initial life, a level of porosity may exist where some product retains water, giving a damp appearance. This will diminish as the concrete continues to harden as the product dries out.
- Aged and distressed products: For certain products, we distress the edges to offer an aged appearance and enhance the character of the paving. A dusty residue can be left on the blocks. This will weather away.

- Differential curing: Dark patches occasionally appear on the surface of garden products. This may be differential curing and is caused by varying moisture levels within the flag drying at different rates. Like efflorescence, given time and the natural weathering process, these patches will become less visible.
- Aggregate contaminants: Very rarely concrete may contain Iron Pyrites and/or Lignite. These are both the result of naturally occurring constituents within the product raw materials which may result in localised discolouration of the surface of an individual unit. The phenomenon will not normally affect the performance of the product.In the unlikely event of any other concerns, please contact our Customer Services Team on 0345 60 80 577.

All pavements should be cleaned and maintained periodically. How often this need to be carried out depends on the extent to which the product is exposed to soiling from the surrounding environment and what is deemed to be acceptable for the paving's final application.

Please see the 'Essential Maintenance Guide' at brettlandscaping.co.uk.

## **Further Information**

Occasionally, sealants may be used to aid the longevity and appearance of the paving. If you are considering using a sealant, we recommend that you contact the manufacturer/supplier to fully understand their product.

We suggest care is taken when choosing these products and that you consider:

- That the slip/skid characteristics of the paving are not adversely affected.
- Whether this will result in a wet, glossy or matt finish.
- The need for any future reapplication/maintenance
- Any health and safety requirements for application and ventilation.

Brett products and accessories available, you might want a little help with selecting the perfect combination of paving colours and materials to suit your project.

Whether you're looking for tips on creating contrast within your designs, details on where to order product samples, or information on the colour variations of natural stone products, you'll find it all at **brettlandscaping.co.uk.** 

# Get samples to be colour-sure

You can quickly and easily obtain a product sample in your desired colour from either your Brett Approved Installer or your local Brett Stockist. Simply visit brettlandscaping.co.uk/where-to-buy/

Samples will provide a guide of how your product could look once installed. However, variations in colour are still possible across our product range due to a number of different factors:

All concrete products are manufactured from a mixture of sand, cement, aggregate and pigment which can give variations in colour mix shades from batch to batch and site to site.

Natural Stone products will vary in colour depending upon where it's quarried and how the stone is processed prior to delivery. These variations are impossible to prevent but do bring character, style and individuality.



When you choose a colour from a photograph there are many factors that can change how the product looks; the time of day the photograph was actually taken or climatic conditions, for example and affect how our product colours are viewed.

The rule is simple. Always order samples.











